

MODDALS: Methodology for Ontology Design based in Domain Analysis and Layered Structure

Javier Cuenca^{a*}, Felix Larrinaga^a and Edward Curry^b

^a*Address: Mondragon University/Faculty of Engineering, Loramendi 4, 20500 Arrasate-Mondragon, Spain*

^b*Insight Centre For Data Analytics, National University of Ireland, Galway, IDA Business Park, Lower Dangan, Galway, Ireland*

* Corresponding author: Javier Cuenca, Mondragon University/Faculty of Engineering, Loramendi 4, 20500 Arrasate-Mondragon, Spain. Tel: +34 6278598848144

Index

1	Introduction	3
1.1	Motivation.....	3
1.2	Main Contribution.....	5
2	Related Work.....	6
2.1	Ontology Development Methodologies.....	6
2.2	Ontology Classification Frameworks and Layered Ontologies.....	7
2.3	Reusable and Usable Ontology Design Methods	8
2.4	MODDALS Usage	9
3	MODDALS Methodology	9
3.1	Preliminary Step: Analysis and Classification of Existing Ontologies	10
3.2	Step 1: Definition of Ontology Layers	11
3.3	Step 2: Domain Knowledge Hierarchy Creation.....	12
3.4	Step 3: Knowledge Classification.....	16
3.5	Step 4: Layer Knowledge Structuring	19
4	Application of MODDALS in the Energy Domain.....	21
4.1	Preliminary Step: Analysis and Classification of Existing Energy Ontologies	21
4.2	Step 1: Definition of DABGEO Ontology Layers	29
4.3	Step 2: DABGEO Knowledge Hierarchy Definition	29
4.4	Step 3: DABGEO Knowledge Classification.....	34
4.5	Step 4: Structuring of DABGEO Layer Knowledge.....	36
5	Evaluation of MODDALS.....	37
5.1	MODDALS Application Results	38
5.2	MODDALS Feedback.....	40
6	Conclusions and Future Work	42
7	References.....	43

1 Introduction

In the context of computer sciences, ontologies are formal vocabularies used to describe and represent a data domain as a set of concepts and relations between them. Ontologies enable to represent a generic knowledge that can be shared across different software applications [1]. Some of the main ontology elements are classes (to represent entities), properties (relations used to relate class members), and axioms (restrictions on the properties to express facts about concepts that are always true) [2].

Ontologies are developed by different engineers, who have different viewpoints when it comes to represent the knowledge of the same data domains. Thus, the creation of ontologies by different developers leads to ontologies that represent the knowledge of the same data domains with different vocabularies. This domain representation diversity, known as *semantic heterogeneity*, leads to an interoperability problem that hampers the knowledge exchange between knowledge-based applications and hinders the full adoption of ontologies in real scenarios [3].

To date, *global* or *shared* ontologies have been developed in different domains to overcome these interoperability issues, i.e., Soupa [4]. Global ontologies are ontologies that include common vocabularies to provide a common representation and a shared understanding of the domain [5], [6]. The common knowledge of global ontologies is reused to develop ontologies for different applications [4], [7]. This common knowledge representation overcomes the terminological differences of existing ontologies (the ones that are already developed) in the domain concerned, enabling the knowledge exchange between knowledge bases and applications that use them [5], [6].

A global ontology must provide support to different applications in a given domain and must be easily adaptable. That is, it must be *reusable* [8]. Thus, the ontology must include abstract domain knowledge reused by many applications. However, each application has individual knowledge requirements. If the global ontology is too abstract, the effort of adapting and customizing the knowledge to satisfy specific knowledge requirements would be high. Thus, ontology developers are less likely to reuse the global ontology to develop ontologies for their applications. Considering this, a global ontology must also minimise the ontology reuse effort when it is reused to develop ontologies for specific applications. That is, it must be *usable* [8]. Thus, the knowledge of the ontology must be as specific as possible to ease its customization to specific application requirements. Nevertheless, if the ontology represents the knowledge required by a specific application, the effort of adapting the ontology to applications with different knowledge requirements would be high.

With this in mind, both ontology reusability and usability are objectives are “in natural conflict” [9], so there is a need to achieve a balance between them [8], [9].

1.1 Motivation

To date, *layered ontology networks* have been applied as the main ontology design approach to achieve a balance of reusability-usability, i.e., OntoCape [9]. Layered ontology networks classify into different abstraction layers the *common domain knowledge* (reused by most applications) and the *variant domain knowledge* (reused by specific application types). We consider an *application type* a family of applications that perform similar tasks or have similar objectives. Such a classification enables ontology developers to reuse only the necessary knowledge at the

proper level of abstraction to develop ontologies that satisfy specific application requirements. Hence, the ontology reuse effort in different applications is reduced [10].

Previous works have proposed methodologies to design and develop reusable and usable ontologies that follow the structure of a layered ontology network. These methodologies follow different paths to design and develop the ontologies, but in all of them, the layered structure of the ontology must be designed. The layered ontology structure is an informal model that includes the ontology layers and the knowledge they must include at a conceptual level (as the set of concepts and relations that they must include without going into implementation details) [10].

When it comes to design this structure, previous reusable and usable ontology design methodologies provide guidelines to define the ontology abstraction layers and to classify the common and variant domain knowledge into different layers. In these methodologies, the classification of the domain knowledge is performed from scratch based on domain experts' and ontology engineers' expertise. They analyse the theoretical framework and the knowledge requirements of the application types that will be supported by the layered ontology network (in collaboration with stakeholders). Based on the gained expertise and the identified knowledge requirements, the ontology knowledge defined and is classified into common and variant (and, by extension, into different layers). Hence, a significant effort is required to classify the ontology knowledge from scratch by applying existing reusable and usable ontology design methodologies. This effort hinders the development of reusable and usable ontologies that represent complex domains and support different applications.

In the software engineering field, the main approach to develop reusable and usable software are Software Product Lines (SPLs): software families that contain common reusable parts and variable parts that depend on specific customer needs to support mass customization [11]. For that purpose, software features for a set of applications are analysed and classified into *common features* (common to most applications) and *variant features* (only implemented by specific applications) [11], [12]. The software features of SPLs can be reused to develop new software minimizing the effort of adapting the reused software to specific requirements. Thus, layered ontology networks that provide a reusability-usability balance are quite similar in concept to SPLs.

When designing SPLs, the software feature classification is performed through a process called *domain analysis*. Unlike the design of layered ontology structures, the design of SPLs rarely starts from scratch [11]. The domain analysis is usually performed systematically taking as reference the software feature similarities and differences of existing applications and legacy systems [11], [13]. Depending on how many applications implement them, the software features are classified into common and variant. This approach makes the SPL design process easier and complements domain experts and software engineers expertise, thus minimizing their involvement and effort [11], [14].

After several decades of building semantic web applications in different domains, many developed ontologies are available [15]. Ontologies are usually developed to be reused and support certain application types. In domains with already developed ontologies, the domain analysis of existing applications applied to design SPLs can be replicated in the ontology engineering field to design the layered structure of reusable and usable ontologies. In particular, the similarities and differences of the knowledge represented by existing ontologies can be analysed to classify the common and variant domain knowledge depending on how many

ontologies represent it. This analysis would complement domain experts and ontology engineers' expertise and prevent them from classifying the domain knowledge from scratch.

As far as we know, previous reusable and usable ontology design methodologies do not take advantage of existing ontologies to save effort when designing the layered ontology structure (as SPL design approaches do). The design effort reduction is a key enabler of the development of reusable and usable ontologies in complex domains. Therefore, there is the need to define a methodology to design the layered structure of reusable and usable ontologies that enables to classify the domain knowledge by taking as reference existing ontologies.

To meet this objective, the main requirements that guide the construction of such methodology are the following:

1. The proposed methodology is applied to define layered ontology structures. Hence, it should adopt the main activities and ontology design techniques applied by previous reusable and usable ontology design methodologies [8], [9], [16].
2. The proposed methodology should apply well-known SPL design techniques [11], [17] to classify systematically the common and variant knowledge into different abstraction layers taking as reference existing ontologies. In this way, the methodology would avoid the classification of the domain knowledge from scratch.

1.2 Main Contribution

In this paper we present the MODDALS (Methodology for Ontology Design based in Domain Analysis and Layered Structure) methodology. MODDALS guides domain experts and ontology engineers to design the layered structure of reusable and usable ontologies. The output of this process is an informal model with the ontology layers and the knowledge they include at a conceptual level. To define the layered ontology structure, MODDALS applies the main activities and design principles from previous reusable and usable ontology design methodologies [8], [9], [16].

In contrast to these methodologies, MODDALS takes as reference already implemented ontologies to systematically (1) identify the ontology common and variant domain knowledge and (2) classify it into different abstraction layers. The knowledge of the ontologies developed for specific application types is usually defined through the collaboration between domain experts and application stakeholders, who translate their knowledge into the ontology [18]. In MODDALS, this knowledge is exploited by domain experts and ontology engineers to classify the domain knowledge when designing the layered structure. Therefore, they do not need to analyse the knowledge requirements of different applications and to define and classify the ontology domain knowledge from scratch, facilitating the design of the layered ontology structure.

The rest of the document is structured as follows: In Section 2, MODDALS is compared and positioned respecting to previous ontology design and development methods. Section 3 explains the steps in MODDALS. Section 4 shows how MODDALS was applied to design the layered ontology structure of a global ontology for the energy domain. Section 5 presents an empirical evaluation of MODDALS. Section 6 summarizes the conclusions of the study as well as future lines of work.

2 Related Work

This section compares the MODDALS methodology with well-known ontology development methodologies and previous reusable and usable ontology design methodologies. In addition, we indicate when it should and should not be applied.

2.1 Ontology Development Methodologies

To date a set of well-known ontology development methodologies have been defined, i.e., METHONTOLOGY [19], On-to-knowledge [20], DILIGENT [21] and NeOn [18]. With the exception of NeOn, all these methodologies guide to develop ontologies from scratch and do not consider the ontology reuse aspect [18]. MODDALS takes as reference the knowledge of existing ontologies to design the layered ontology structure. Hence, once the structure is designed, the knowledge of existing ontologies will be reused to implement the layered ontology network.

Therefore, MODDALS fits better with and can be applied as an internal step of NeOn. NeOn defines a set of flexible scenarios to develop ontologies and ontology networks. These scenarios correspond to the methods (i.e., reuse, reuse and merge) that can be applied to reuse existing knowledge sources (i.e., existing ontologies or non-ontological resources) to develop ontologies. Figure 1, summarizes the different phases that the ontology development process can follow depending on the selected scenario (to see more detailed information about each phase, we refer the reader to [18]).




Figure 1: Ontology network life-cycle models proposed in the NeOn Methodology framework [22]

Since MODDALS classifies the ontology domain knowledge taking as reference existing ontologies, the knowledge of the designed layered structure includes the knowledge from these ontologies. Existing ontologies are analysed to classify this knowledge into different layers. The output of this process is an informal model of the ontology that contains the ontology layers and the knowledge they include. Hence, within the ontology life-cycle, MODDALS covers part of the ontology reuse process. In particular, it proposes a new scenario for reusing ontologies: organization of the various existing ontologies into an overall layered ontology structure.

In addition, in MODDALS the knowledge that the ontology must represent is defined (the knowledge from existing ontologies). In contrast, in NeOn the knowledge of the ontology is defined from scratch as the functional requirements of the ontology during the *ontology initiation* phase. Therefore, MODDALS covers part of this phase.

Considering the ontology development phases covered by MODDALS, it should be applied right after the *ontology initiation* phase and before the *ontology reuse* phase of NeOn (Fig. 2). During the ontology initiation phase, the ontology purpose, scope and non-functional requirements should be defined. Then, MODDALS should be applied to (1) search for existing ontologies in the domain concerned, (2) define the ontology knowledge and (3) define the layered ontology structure. Then, in the ontology reuse phase, the existing ontologies should be reused so that

the developed ontology represents the defined knowledge according to the defined layered structure.



Figure 2: Application of MODDALS within NeOn methodology phases

They describe and represent a data domain as a set of concepts and relationships between them to create a generic knowledge that can be shared across different software applications.

2.2 Ontology Classification Frameworks and Layered Ontologies

The first proposals applied to design ontologies that provide a balance of reusability-usability correspond to frameworks that classify ontologies according to their generality/specificity level. Guarino [23] presented the first ontology classification framework, which distinguishes between the following ontologies:

- *Upper ontologies*: they represent general and domain independent knowledge and concepts (i.e., object, state) that can be reused in different domains.
- *Domain ontologies*: they extend the knowledge of the upper ontologies, since they represent the knowledge of a particular domain. Some domain ontologies represent only domain top-level knowledge, whereas other domain ontologies include domain-specific knowledge. Thus, some domain ontologies can extend the knowledge of other domain ontologies.
- *Task ontologies*: they extend the knowledge of domain ontologies and represent the knowledge related to generic tasks or activities. Thus, these ontologies are reused by applications of any domain that perform similar tasks.
- *Application ontologies*: they are the ontologies that include the most specific knowledge, since they represent the knowledge reused by certain applications.

This classification was refined later by Gomez-Pérez et al. [24], who introduced *domain-task ontologies*. These ontologies represent the domain knowledge related to tasks performed by applications of a given domain. Hence, these ontologies represent the domain knowledge reused by certain application types within a specific domain and they are located between domain and application ontologies.

The main methods focused on improving the ontology reusability-usability balance deal with designing layered ontology networks based on previous ontology classification frameworks. Layered ontology networks classify represented domain knowledge in different abstraction layers according to their knowledge generality/specificity level, thus separating the common and variant domain knowledge [9], [16]. The knowledge of each layer is classified into ontology modules that represent the knowledge of a particular topic of the represented domain [25].

An example of the structure of a layered ontology network is shown in Figure 3. Top-level layers include upper ontologies to represent general knowledge. Low-level layers include domain and domain-task ontologies to represent the common and variant knowledge about represented domains. The lower the layer is, the more specific concepts and relations it includes. Within this layered structure, some ontology modules extend the knowledge of other modules, since they represent more specific concepts and relations. The ontology modules include the knowledge of the ontology modules they extend. These ontologies are reused, adapted and combined by

ontology engineers to develop application ontologies that fit application-specific knowledge requirements. With the layered structure, ontology developers can analyse and select at the proper level of abstraction the necessary knowledge to develop application ontologies [10]. Hence, the ontology reuse effort in different applications is reduced.




Figure 3: Sample structure of a layered ontology network

2.3 Reusable and Usable Ontology Design Methods

In the last decade, Ontology Design Patterns (ODPs) have been researched as the main solution for improving ontology reusability (Gangemi, 2005; Hitzler et al., 2016). ODPs are small ontologies that represent domain independent knowledge and act as ontology building blocks to improve ontology reusability. In contrast to ODPs, MODDALS is focused on designing the layered ontology structure to represent only the domain knowledge of the ontology. Therefore, it is applicable to design the low-level layers of the layered ontology structure. The knowledge represented by ODPs is more abstract and would be located in upper layers within a layered ontology network. Hence, MODDALS is complementary to ODPs.

On the other hand, in the last decade several methodologies have been proposed to design and develop reusable and usable ontologies that follow the structure of a layered ontology network. These methodologies follow different paths to design and develop the ontologies but in all of them, the layered structure of the ontology must be designed.

Spyns et al. [8] presented the DOGMA methodology, which is based on the DOGMA framework [26]. The DOGMA framework specifies how to represent and separate the common and variant domain knowledge within a reusable and usable ontology. Thakker et al. [16] set out a methodology to develop reusable and usable ontologies that represent ill-defined and complex domains. This methodology proposes a set of ontology layers to classify the common and variant domain knowledge and explains which knowledge should be included in each layer. In contrast to previous approaches, Morbach et al. [9] developed the OntoCape ontology, a highly reusable and usable ontology for the chemical process engineering domain. Morbach et al. [10] detail the OntoCape ontology design and implementation methodology and process.

When it comes to design the layered ontology structure, the main activities conducted by previous methodologies are the following: (1) define the ontology abstraction layers and the kind of knowledge they will include (common or variant), (2) define the ontology knowledge, (3) classify the common and variant domain knowledge into different layers and (4) structure the

knowledge in each layer. The classification of the domain knowledge is performed from scratch based on domain experts' and ontology engineers' expertise.

In contrast to these methods, MODDALS provides guidelines to classify the domain knowledge based on a domain analysis of existing ontologies applying SPL engineering techniques. MODDALS also has common aspects with previous reusable and usable ontology design methodologies. MODDALS applies the main activities and ontology design principles applied by these methodologies. Therefore, the purpose of MODDALS is not to substitute these methodologies to improve the domain knowledge classification. It offers an alternative method to classify the common and variant domain knowledge.

2.4 MODDALS Usage

Bearing in mind the features of MODDALS and its position with respect to the previous works, it should be applied when the following conditions are met:

1. The developed ontology must provide a balance of reusability-usability, since it is developed to be reused by different applications in a given domain.
2. There are already developed ontologies that support different application types in the domain.
3. The ontology is developed in a complex domain.
4. The ontology represents domain knowledge.

Otherwise, it should not be applied in the following cases:

1. The ontology is developed for a specific application.
2. There are not developed ontologies that support different application types in the domain.
3. The represented domain is not complex.
4. The ontology represents domain independent knowledge.

3 MODDALS Methodology

This section explains the steps in MODDALS, which were defined bearing in mind the requirements defined in Section 1.1.

Considering these requirements, MODDALS takes as input previous reusable and usable ontology design methodologies [8], [9], [16] and well-known SPL engineering techniques [11], [17]. MODDALS steps have been defined bearing in mind the main activities applied by previous reusable and usable ontology design approaches: (1) definition of the ontology abstraction layers and the kind of knowledge will include (common or variant), (2) definition of the ontology knowledge, (3) classification of the common and variant domain knowledge into different layers and (4) structure the knowledge in each layer. These activities were adapted bearing in mind that MODDALS classifies the domain knowledge taking as reference existing ontologies.

Based on the aforementioned activities, MODDALS encompasses four main steps. These steps involve the collaboration between domain experts and ontology engineers and are conducted sequentially. In addition, MODDALS takes as reference already developed ontologies to classify the domain knowledge into different abstraction layers. Therefore, before applying the MODDALS steps, a preliminary step is required: *analysis and classification of existing ontologies*.

Once the exiting ontologies have been selected and analysed, the methodology itself is implemented (Fig. 4).




Figure 4: MODDALS methodology steps

3.1 Preliminary Step: Analysis and Classification of Existing Ontologies

In this step, domain experts conduct a state of the art of the existing ontologies and the applications they support in the domain concerned.

The main objectives of the ontologies and applications are analysed. The available ontologies that support analysed applications are selected. The ontologies should be as documented as possible, since their knowledge is the input to classify the knowledge in the designed layered structure. The selected ontologies are classified according to the application type they support (assuming that they have been designed and developed in collaboration with domain experts). If already developed ontologies only provide support to specific applications, the domain experts group the applications that perform similar tasks into application types. In the case that the specific applications do not perform similar tasks, each specific application is considered as an application type.

It is worth mentioning that if there are only a few ontologies already developed in the domain or these ontologies are reused only by a few application types, the domain analysis will not be representative enough to classify the domain knowledge, as well as occurs when designing SPLs [13]. Therefore, MODDALS is not applicable in these cases. To define the minimum sample of ontologies to apply the methodology the FODA model is taken as reference, since it establishes the main principles and the main steps of the SPL domain analysis process. According to the FODA model [13], a domain analysis must take as input at least three applications (as divergent in functionality as possible). Therefore, we consider ontologies that provide support to at least three application types must be already developed within the domain where MODDALS is applied as a minimum sample to apply the methodology. If these conditions are not met, one of the reusable and usable ontology design methods introduced in Section 2.3 should be applied to design the ontology structure.

To the best of our knowledge in SPL engineering there is not a maximum limit of legacy applications to be included in the domain analysis [11]. Hence, in MODDALS the ontology design team must decide how many application types will be supported by the layered ontology and

include in the domain analysis the ontologies already developed to support the selected application types.

The outcome of this step is a classification of existing ontologies according to the application types where they are reused, which is taken as input by the rest of MODDALS steps.

3.2 Step 1: Definition of Ontology Layers

In the first step, domain experts define the ontology layers that classify the domain knowledge and the kind of knowledge they include.

The layered structure proposed by MODDALS has been defined taking as reference the layers proposed by the previous reusable and usable ontology design methodologies. In addition, the defined layers must be compatible and comply with the knowledge classification method proposed in MODDALS: a domain analysis of existing ontologies by applying SPL engineering techniques.

When it comes to represent the domain knowledge, all the reusable and usable ontology design methodologies reviewed in Section 2.3 propose (1) a layer that includes the common domain knowledge reused by all application types covered by the ontology and (2) a layer that includes the variant domain knowledge reused by specific application types. A set of application types in a given domain will have knowledge in common, while each application will require specific knowledge [8]. Hence, the aforementioned layers are mandatory in a layered structure. These layers are compatible with the knowledge classification method applied on MODDALS, since the domain analysis classifies the software features (in this case knowledge) into the ones common to all applications and those that are implemented by specific applications [11].

In SPL design, there is no a middle ground when classifying the software features, since they are usually implemented by most of applications or specific applications [17]. However, in MODDALS we apply the domain analysis to classify knowledge instead of software features. Depending on the knowledge similarities and differences of existing ontologies, there might be knowledge that is not common but still reusable across a set of application types. For that purpose, the ontology must include an intermediate layer. In these sense, the OntoCape ontology [9] adds a layer that contains the domain knowledge not common but still relevant to several application types.

Considering these aspects, we propose in MODDALS a layered-structure that combines the layers proposed by previous approaches and contains three layers (Fig. 5.4). These layers constitute a template where the ontology knowledge is classified in the next steps. Previous reusable and usable ontology design methods do not follow a pre-established standard to name the layers. They name differently the layers that contain the same kind of knowledge. Hence, we have defined the name of the layers based on the kind of knowledge (common knowledge, variant knowledge still common to more than one application type, variant knowledge only reused by specific application types) they include.

- The *common-domain layer* includes domain ontologies that represent the top-level knowledge of each domain. The domain ontologies of this layer also represent the common domain knowledge. The knowledge in this layer is extended by the knowledge in the next two layers, which is more specific.
- The *variant-domain layer* includes domain ontologies that represent the variant domain knowledge still common to more than one application type.
- The *domain-task layer* includes domain-task ontologies that represent the variant domain knowledge reused by specific application types. The ontology modules of this layer are classified according to the application type where they are reused. Thus, the structure of this layer can vary depending on the application types supported by the

layered ontology. MODDALS classifies the domain knowledge taking as reference existing ontologies. Thus, only the application types supported by existing ontologies are taken as reference to define the ontology structure of this layer. Possible future application types are not taken into account since “a complete domain theory is lacking in almost any complex (engineering) domain” [10].

In some domains, a set of applications that belong to an application type can be grouped into a more specific application type, since they have specific objectives in common. In these cases, the *domain-task layer* is divided into two sublayers. The sublayers separate the knowledge reused only by a specific application type from the knowledge still relevant for more specific application types encompassed by the general application type. For instance, let us consider that the *application type 1* encompasses the *application type 1.1* and the *application type 1.2*. The knowledge reused by both *application type 1.1* and *application type 1.2* could be relevant for any other application type encompassed by the *application type 1*. This knowledge is placed in the *general application type sublayer*. In contrast, the knowledge reused only by the *application type 1.1* is only relevant for that application type. This knowledge should be placed in the *specific application type sublayer*. The domain experts can also name each sublayer using the terms in the domain concerned to facilitate the distinction between the two sublayers (as done in Section 4, where MODDALS is applied in the energy domain).




Figure 5: Ontology structure proposed by MODDALS

The outcome of this step is a high-level structure of the ontology with the layers described above.

3.3 Step 2: Domain Knowledge Hierarchy Creation

In the second step, both domain experts and ontology engineers collaborate to define the ontology knowledge.

In previous reusable and usable ontology design methodologies, the knowledge of the layered ontology is defined at a conceptual level. In addition, the knowledge is divided into different abstraction levels and knowledge pieces. This knowledge decomposition enables (1) the separation of abstract knowledge that is likely to be reused in most of applications from the

specific knowledge and (2) the classification of the defined knowledge pieces into different abstraction levels [8].

In previous methodologies, the knowledge of the ontology is defined from scratch. However, MODDALS classifies the ontology domain knowledge based on a domain analysis of existing ontologies. Hence, in this methodology the layered ontology must include the knowledge represented by existing ontologies. In this step, the knowledge from existing ontologies is abstracted, divided and organized into a knowledge hierarchy that classifies it into different abstraction levels. The knowledge hierarchy proposed by MODDALS includes three main elements (Fig. 6):

- *Domains*: the domains represented by the ontology are located in the first level of the hierarchy.
- *Subdomains*: extensive domains are divided into subdomains that cover the knowledge of an important part of the domain. Hence, subdomains are located in the second level of the knowledge hierarchy.
- *Knowledge areas (KAs)*: in the third level of the knowledge hierarchy, consider a KA as a potential module of the layered ontology that encompasses the knowledge of a specific topic of a subdomain. The KAs are the knowledge pieces that are classified into different layers. Each KA can be divided into “child” sub-KAs that represent more specific knowledge. Therefore, we can say that a sub-KA extends the knowledge of a specific KA. In addition, some KAs, may represent specific knowledge by combining the knowledge from other KAs. In these cases, the former KAs require the knowledge from the latter. These relations are also reflected in the knowledge hierarchy.




Figure 6: Domain knowledge hierarchy example

Bearing in mind this hierarchical structure, the KAs of the upper levels include abstract domain knowledge, while the KAs of low levels include more specific domain knowledge. Hence, the knowledge hierarchy enables to abstract and divide the knowledge from existing ontologies, so that the defined KAs can be classified in the next steps into the layers defined in Step 1.

Before explaining the knowledge hierarchy, it is important to distinguish the knowledge it includes from the knowledge of existing ontologies. The knowledge hierarchy includes the knowledge of existing ontologies at the conceptual level, as a set of concepts and relations. On the contrary, ontologies include this knowledge implemented through classes, properties and axioms used to represent the concepts and relations.

To define the hierarchy, the domain experts and ontology engineers collaborate to perform a manual analysis of the ontology elements in an ontology editor to identify the domains they represent and to divide them into KAs.

This step includes three activities that are conducted sequentially.

1. **Domain/subdomain definition:** in this activity, domain experts and ontology engineers analyse the knowledge represented by existing ontologies to identify the domains they represent. The top-level concepts of each domain are also defined by domain experts. If the domains are too extensive, they are divided into subdomains according to domain experts' criteria.
2. **Knowledge area definition:** in this activity, ontology engineers (in collaboration with domain experts) analyse existing ontologies to divide the knowledge of the defined subdomains into KAs.

Ontology partitioning and module extraction algorithms/tools [25], [27], [28] are well-known methods to extract semi-automatically and divide knowledge from ontologies [25]. However, existing ontologies are developed by different engineers and with different objectives, so they are heterogeneous. Thus, to the best of our knowledge, the application of existing ontology partition and module extraction algorithms/tools in different ontologies would lead to different ontology module classifications. The same knowledge extracted from different ontologies may be included into different modules and linked with different knowledge. These issues would lead to an inconsistent knowledge hierarchy. Hence, a more abstract method to define KAs is required in MODDALS. To avoid these issues, the CQs [29] answered by existing ontologies can be taken as reference to divide the knowledge they represent into KAs.

To answer each CQ, the ontology must include the necessary ontology elements (classes, properties and axioms) that represent certain concepts and relations. Hence, CQs are a natural guide for splitting ontologies into small knowledge fragments [30]. By identifying the CQs each ontology answers, the concepts and relations needed to answer them can also be identified and considered as a whole to define a KA. Hence, this method enables the abstraction and division of knowledge from different ontologies regardless of their heterogeneous knowledge representation. The CQs defined to develop ontologies are not always available [30]. Therefore, in MODDALS ontology engineers perform a manual analysis of ontology elements to identify the CQs they answered by existing ontologies (it can be considered as a reverse engineering process) and divide the knowledge into KAs. This strategy is also followed in when designing SPL taking as reference existing applications [31], [32], since "*legacy systems rarely have an accurate functional specification*" [32]. In particular, the requirements and functionalities are extracted from the existing applications before analysing their similarities and differences.

The *knowledge area definition* activity involves two sub-activities.

2.1 Class hierarchy-based KA definition: some ontology class hierarchies are self-descriptive enough to answer a set of CQs. Hence, the class hierarchies of existing ontologies are analysed to identify the first CQs. For instance, a class hierarchy that contains the *Device* class with more specific devices (i.e., *Appliance* or *Sensor* classes) as subclasses can answer the following CQ: *what type of devices are there?* Thus, the a KA corresponding to this CQ could be defined. This KA would encompass the *device* concept. Considering this, the first KAs of the knowledge hierarchy are defined based on some class hierarchies of existing ontologies. These KAs are named as the subject of the CQ they answer. In the previous example, the subject of the CQ was *devices*, so the KA should be called *devices*.

Each level of the class hierarchies is considered as sub-KA of the previous level. For instance, if the *Appliance* class of the previous example includes subclasses to represent more specific appliances (i.e., white goods) the *appliances* KA should be defined. This KA

would encompass the *appliance* concept and would be a sub-KA of the *devices* KA. If the class hierarchy includes many class levels, the last levels (which often include very specific classes [33]) can be considered as a whole to define a KA to avoid an unmanageable number of KA levels in the class hierarchy.

The existing ontologies may represent the same concepts with different class hierarchy structures. Therefore, in these cases a common class hierarchy of these concepts must be defined before defining the KAs. In these cases, the class hierarchy that describes each concept with the highest granularity is selected among existing ontologies and is populated with classes from other ontologies.

2.2 Ontology elements relation-based KA definition: the rest of CQs are answered through the relations of a set of ontology elements. Hence, the ontology classes and their relations through properties (and the axioms applied on them) are analysed to identify the remaining CQs. All the concepts and relations represented by the ontology elements that answer these CQs can conform a KA. The CQs that cover similar topics are grouped by domain experts to create new KAs, which encompass all the knowledge required to answer these CQs. Each of these KAs is named by joining the key words of the CQs it encompasses. For example, let us consider that the analysed ontologies contain the *hasName*, *hasModel* and *hasSerialNumber* properties to describe certain features of *Devices* to answer the following CQs: *What is the name of a device?*, *What is the model of a device?* and *What is the serial number of a device?*. These CQs describe the information of the device related with the manufacturer, so they can be grouped into the *device manufacturer data* KA. This KA encompasses the concepts and relations that answer the aforementioned CQs.

By grouping CQs, some KAs may include unnecessary knowledge for certain applications. However, if we define one KA for each identified CQ, the knowledge hierarchy would contain an unmanageable number of KAs and thus the layered ontology would contain an unmanageable number of modules [30]. We must assume that “*an ontology is never ready for use, but must always be adapted and refined to a knowledge base for the envisioned application*” [9]. Therefore, the CQs are grouped according to domain experts’ criteria and the desired KA classification granularity.

- 3. Knowledge hierarchy refinement:** in this activity, domain experts classify each KA into one domain/sub-domain and one level of the knowledge hierarchy, according to the knowledge that the KA represents or extends. In addition, they define the dependencies between KAs. If two KAs require the knowledge of each other, they are joined into a single one to avoid circularity and an inconsistent knowledge hierarchy.

Finally domain experts, provide a complete description of each KA, explaining the knowledge it encompasses and when the KA should be considered as represented.

The *domain knowledge hierarchy creation* step has two outcomes:

1. The *Knowledge Area Schema (KA-Schema)*: is the schema that contains the ontology knowledge hierarchy (with a similar structure as the schema shown in Figure 6). Since it has a tree structure, the KA-Schema can be created with any tool used to create tree diagrams [34] or mind maps [35].
2. The *Knowledge Area Description Document (KADD)*: this document includes the list of the KAs, the description about the knowledge they encompass (with the concepts and relations it should include) and the list of CQs they encompass. The KADD should

be written following the template shown in Table 1, which describes the sample *device manufacturer data KA*.

Knowledge Area	Description/Competency Questions
Device manufacturer data	<ul style="list-style-type: none"> • Description: this knowledge area encompasses all the knowledge used to represent the device features related with the manufacturer (i.e., brand, model, serial number). It does not encompass device features related with operational aspects (i.e., power, height). • Competency Questions: <ul style="list-style-type: none"> - <i>What is the name of a device?</i> - <i>What is the model of a device?</i> - <i>What is the serial number of a device?</i>

Table 1: Template for the KADD

3.4 Step 3: Knowledge Classification

In the third step, ontology engineers classify the KAs defined in Step 2 (see Section 3.3) into each abstraction layer. This step takes as input the KA-Schema and KADD defined in Step 2.

A domain analysis of existing ontologies is performed by applying well-known SPL engineering techniques to classify the knowledge, since it is one of the core requirements of MODDALS. We defined this step based on the well-known domain analysis techniques and guidelines proposed by Pohl et al. [11] and Moon et al. [17], which were adapted to be applied in the ontology engineering field.

Before conducting the domain analysis, domain experts analyse the defined KAs to identify the ones that must be common due to their relevance to the domain because they represent abstract concepts and relations. These KAs are directly included in the *common-domain layer* regardless of its presence in existing ontologies, what has influence in the ontology knowledge classification. If the classification of these KAs depended only on their presence in existing ontologies, they might be classified in low-level layers although being relevant for the domain. Hence, as well as in the SPL design process, the domain experts have influence in the knowledge classification, which is not 100% dependent on existing applications [11]

The rest of KAs are classified according to the domain analyses of existing ontologies. This step includes five activities, which are conducted sequentially.

1. **Analysis of existing ontologies:** existing ontologies are analysed by ontology engineers to see whether they represent the KAs defined in Step 2. It is worth mentioning that this analysis has a different purpose and is more exhaustive than the one conducted in Step 2. In Step 2 the ontologies are analysed to identify and divide the knowledge they represent into KAs. In this step the ontologies are analysed to identify how many of them represent the defined KAs.

We consider that an ontology represents a KA if it includes the necessary elements (classes/statements/axioms) to answer at least one of the CQs encompassed by the KA concerned. A related point to consider is that if a “child” KA is represented by the ontology, the “parent” KA that represents more abstract knowledge is considered represented. This rule avoids the placement of abstract concepts in lower level layers than the specific concepts that extend the abstract concepts.

Most of the ontology analysis is performed manually by the ontology engineer by examining in the ontology editor for the elements that represent the data encompassed by each KA.

To identify faster the ontology elements that represent the knowledge of the KA, the ontology engineer can use the tools available in the editor (i.e., search engines) to find the key words of the KA and its description/CQs in the ontology elements.

Apart from ontology engineers, domain experts also take part on this activity. They can assist ontology engineers with additional explanations and clarifications about the defined KAs. This collaboration helps ontology engineers to understand better the knowledge encompassed by a KA when it is not clear whether the KA is represented by an ontology.

2. **Commonality and Variability Analysis:** ontology engineers conduct a CVA of existing ontologies to determine whether the KAs of each subdomain are common to application types. There are two types of techniques to perform a CVA: the application requirements-matrix and the priority-based variability and checklist based variability analysis. In MODDALS, a CVA is applied to determine if the KAs are common to application types based on their presence or not in existing ontologies. These ontologies already include the knowledge defined by domain experts and the application stakeholders. The priority-based variability and checklist based variability analysis would involve defining a great part of the common and variant knowledge from scratch and doing meetings with stakeholders to establish their priorities. Hence, we selected the *application-requirements matrix* to apply it in MODDALS among existing CVA techniques.

To define this step, we took as reference the application-requirements matrix-based CVA conducted by Moon et al. [17], since it explains how to the apply application-requirements matrix technique through an application example. Since the CVA is conducted to identify common and variant domain knowledge, we defined a new term for the matrix: the *application-knowledge matrix*. An example of the application-knowledge matrix template we propose in MODDALS is shown in Table 2. The left column contains the KAs of a specific subdomain (i.e., knowledge area 1, knowledge area 1.1). The top rows list different application types and the ontologies (i.e., ontology 1 (O1), ontology 2 (O2)) according to the application type they support. The matrix indicates if an ontology represents a KA ('X') or not ('-'). With this information, the ontology engineer deduces which application types reuse each KA. We consider that an application type reuses a KA if the KA is represented by at least one ontology that provides support to the application type.

Ontologies	Application type 1			Application type 2		Application type 3	Application type 4		Commonality Ratio
	O1	O2	O3	O4	O5	O6	O7	O8	
Knowledge area 1	X	-	-	X	-	X	X	X	100%
Knowledge area 1.1	X	X	-	X	X	X	X	X	100%
Knowledge area 1.2	X	X	-	-	X	-	-	-	50%
Knowledge area 2	X	X	X	X	-	-	X	-	75%
Knowledge area 3	-	-	-	X	X	-	-	-	25%
Knowledge area 4	-	-	-	X	-	-	-	-	25%

Table 2: Example of an application-knowledge matrix

To determine whether a KA is common or variant, their *Commonality Ratio* (CV ratio) is taken as a reference [17]. In this case, the CV ratio is the ratio of the number of application types that reuse a specific KA to the total number of application types. For instance, in Table 2 the *knowledge area 1* is reused by all application types, so it has a CV ratio of 100%. To the

best of our knowledge, there is no systematic method to determine the exact threshold value of the CV ratio to identify common and variant software features. The CVAs conducted in the SPL engineering field [17], [31], [36] consider as common features the ones that are present in most of applications. Thus, in MODDALS the ontology engineer determines CV ratio threshold depending on the number of the application types included in the domain analysis. In the example, there are four application types, so we can consider 75% as threshold value to distinguish between common and variable KAs. The common KAs are the ones that equal or exceed the threshold CV, while the rest of KAs are considered variant.

3. **Knowledge area layer assignment:** ontology engineers place the KAs in different layers according to the CVA results. Common KAs are placed in the *common-domain layer*. Variant KAs reused by more than one application type are assigned to the *variant-domain layer*. Variant KAs reused only by one application type are placed in the *domain-task layer*. In addition, the KAs of this layer are classified according to the application type that reuse it.
4. **CVA at the application type level:** if the *domain-task layer* includes two sublayers to represent the knowledge of general and specific application types, another CVA at the application type level is required. Ontology engineers conduct this CVA to determine if KAs of this layer are relevant to the general application type or only to the specific application type. The KAs reused by more than one specific application types are likely to be reused by more future specific application types. Thus, these KAs are considered relevant to the general application type and they are placed in the *general application type sublayer*. The KAs reused only by a specific application type are assigned to the *specific application type sublayer*. The CVA at the application type level is applied to check if KAs are reused by one or more specific application types, so the CV ratio is not taken as a reference. According to the results of the example CVA (Table 2), *knowledge area 3* and *knowledge area 4* are only reused by *application type 2*. If we consider that this application type encompasses more specific application types (*application type 2.1*, *application type 2.2* and *application type 2.3*) a CVA at the application type level is conducted (Table 3). According to the CVA results, *knowledge area 3* is placed in in the *general application type sublayer* and *knowledge area 4* is placed in the *specific application type sublayer*.

Application type 2			
	Application type 2.1	Application type 2.2	Application type 2.3
Knowledge area 3	X	X	-
Knowledge area 4	-	-	X

Table 3: CVA at application type level

The outcome of the *domain analysis* step is a list of the KAs of each layer/sublayer. To write this list we propose the template shown in Table 4. We have filled in this template according to the results of the sample CVAs shown in Tables 2 and 3.

Common-domain layer	Variant-domain layer	Domain-task layer
Knowledge area 1 Knowledge area 1.1 Knowledge area 2	Knowledge area 1.2	1 st sublayer
		Knowledge area 3
		2 nd sublayer
		Knowledge area 4

Table 4: Template of the KAs classification into different layers

3.5 Step 4: Layer Knowledge Structuring

The last step is to define how the knowledge of each layer defined in step 1 is structured. This step is conducted by ontology engineers and takes as input the knowledge hierarchy defined in Step 2 (see Section 3.3) and the KA classification obtained in Step 3 (see Section 3.4).

The ontologies that follow the structure designed with MODDALS will correspond to layered ontologies reused by different applications. Hence, the knowledge of the layers must be structured to facilitate ontology reuse, as well as the inclusion of new knowledge to support new applications. To meet these requirements, previous reusable and usable ontology approaches [9], [16] structure the knowledge of each layer into ontology modules and define the high-level relations between them when designing the layered ontology structure. In addition, they apply the main principles of ontology modularization: loosely coupling and self-containment. These principles establish that an ontology module must depend as little as possible on other modules to ease their understanding, reuse and maintenance [25], [37].

Considering these principles, this step includes two activities, which are performed by the ontology engineers and conducted sequentially.

1. Ontology modularization: the ontology engineers classify the KAs of the ontology into different modules, which are defined in the following cases:

- An ontology module is defined to include the top-level concepts of each domain and placed in the *common-domain layer*. The ontology module takes its name from the domain or the top-level concept (if the module includes only one concept). In this way, we abstract the knowledge that is extended by the rest of ontology modules.
- An ontology module is defined for each KA (the module encompasses the knowledge of the KA), and placed in one ontology layer/sublayer according to the domain analysis results. The ontology module takes its name from the name of the KA. There are two special cases where further classification is required. (1) The KAs of the *common-domain layer* are likely to be reused in most ontologies derived from the layered ontology. Hence, the KAs of each subdomain that belong to the *common-domain layer* are grouped into a single module that represents the subdomain common domain knowledge. (2) The ontology modules of the *domain-task layer* are classified according to the application type where the KA is reused.

2. Inclusion hierarchy definition: the ontology engineers organise previously defined ontology modules into an inclusion hierarchy that establishes the high-level relations between the ontology modules. Each ontology module must include only the modules whose knowledge extends or requires. These relations define how the modules will be linked during the ontology implementation.

The ontology modules that represent the common knowledge of each subdomain will extend the domain top-level concepts. Hence, these modules will include the modules with that represent the domain top-level concepts. The rest of relations between modules are defined taking as reference the relations between KAs in the knowledge hierarchy defined in Step 2. Hence, only the ontology modules that represent closely related topics are related and their relations are limited. This ontology module independency will enable an easier reuse of individual modules when constructing application ontologies and the customization of particular modules without affecting other modules when reusing and extending the ontology [10].

As summary and example of this step, Figure 7 shows how the KA classification is mapped into an ontology module hierarchy.




Figure 7: Ontology modularization and inclusion hierarchy definition

The outcome of this step is the informal model that includes the ontology modules of each layer and the high-level relations between the ontology modules. To write this list we propose the template shown in Table 5. We have filled in this template according to the sample ontology module classification shown in Figure 7. It is worth mentioning that the part of the template corresponding to the *domain-task layer* changes depending on the sublayers of the ontology and the application types it supports.

The informal model is complemented with the descriptions of the knowledge of each module at a conceptual level. These descriptions are taken from the descriptions of KAs made in Step 2.

Common-domain	<ul style="list-style-type: none"> Domain top-level ontology Subdomain ontology (<i>includes</i>: domain top-level ontology)
Variant-domain layer	<ul style="list-style-type: none"> Knowledge area 1.1 ontology (<i>includes</i>: subdomain ontology)
Domain-task layer	<p>Application type 1</p> <ul style="list-style-type: none"> Knowledge area 1.1.1 ontology (<i>includes</i>: knowledge area 1.1 ontology)

	Application type 2	<ul style="list-style-type: none"> Knowledge area 3 ontology (<i>includes</i>: knowledge area 1.1 ontology)
--	--------------------	--

Table 5: Template of the ontology modules classification

4 Application of MODDALS in the Energy Domain

This section illustrates how the MODDALS methodology was applied in a real use case for designing the layered ontology structure of DABGEO ontology (Domain Analysis-Based Global Energy Ontology)¹.

DABGEO is a reusable and usable ontology for the energy domain developed to be reused by energy management applications. The development of a global ontology is a key challenge to be addressed in the energy domain [38]. The DABGEO ontology is quite extensive (it includes 97 ontology modules), so the next subsections explain through examples how a certain parts of the layered ontology structure was designed. The same process was followed to design the rest of the layered ontology structure.

4.1 Preliminary Step: Analysis and Classification of Existing Energy Ontologies

A state of the art of the existing energy ontologies and the energy sustainability and resilience applications they support was conducted [38].

The main objectives of the ontologies and the applications were analysed to classify the knowledge-based energy management applications into different types. Below we show the state of the art of energy ontologies and knowledge-based energy sustainability and resilience management applications, as well as their main purpose.

Energy Ontologies

Below an overview of the existing energy ontologies and their purpose is provided.

On the one hand, Kofler et al. [39] and Daniele et al. [40] presented ontologies that represent the knowledge about Smart Home energy performance.

Kofler et al. [39] presented the ThinkHome ontology, which was developed within the ThinkHome project². The ontology represents, in a machine-readable way, home energy consumption, production and energy-related contextual data. The ThinkHome ontology is expected to be used to represent the knowledge bases of multi-agent Smart Home EMSs. Furthermore, the authors suggest how represented data can be used and combined with a multi-agent system in order **to improve energy efficiency at future smart homes**. The proposed use cases are:

¹ <http://www.purl.org/dabgeo>

² <http://www.eui.eu/Projects/THINK/Home.aspx>

- 1 Select energy providers depending on produced energy type or energy tariffs, i.e., consume only energy produced by renewable energy sources or select a provider that has an excess of energy and sells it cheaper.
- 2 Disconnect unnecessary equipment according to occupancy or customer behaviour patterns, i.e., disconnect from the electricity the grid entertainment equipment such as the TV when user is unlikely to return more to the living room.

Daniele et al. [40] presented the ontology SAREF [41], and its later version (SAREF4EE). The SAREF4EE ontology represents the knowledge of the domains related with the energy performance and flexibility of home energy devices. The objective of the ontology SAREF4EE is **to improve interoperability among electrical appliances of different manufacturers**, allowing them to be connected with customer energy management systems used for Smart Grid DR optimization strategies.

Fernbach et al. [42] and Tomasevic et al. [43] presented ontologies to provide interoperability between energy management systems for different applications.

Fernbach et al. [42] presents an ontology that represents the knowledge about building features and building automation system, which monitor and control automatically HVAC systems of indoor environments [44]. The ontology is presented as a first step of using Semantic Web technologies for the **automated integration of building automation systems developed by different manufacturers**.

Tomasevic et al. [43] developed a facility ontology that represents the knowledge about facility devices. The facility ontology was developed as common information model **to provide interoperability between supervision and control systems from different vendors focused on improving facilities energy management**.

Blomqvist and Thollander [45] published as Linked Data energy efficiency improvements, energy saving recommendations and energy measures taken from previous energy audits³. The final purpose is to use the published linked data as a knowledge base for future ICT-based solutions **to help organizations for saving energy based on energy audits performed over similar organizations, to facilitate researches and policy makers comparing and analysing data from different audits and to facilitate third parties' applications that use energy audits data**.

The ontology OntoMG [46] represents the knowledge about the domains related with microgrids energy performance. The purpose of this ontology is to be used by computational and optimization techniques aiming **to achieve different microgrid objectives such as minimising transmission losses, generating good power quality or minimisation of greenhouse effect gases**.

Hippolyte et al. [47], [48] and Gillani et al. [49] present energy ontologies presented energy ontologies to support energy management applications deployed in Smart Grid wider areas.

Hippolyte et al. [9] presented the MAS2TERING ontology, which was developed within the MAS2TERING European project⁴. The MAS2TERING ontology is aimed **to facilitate the representation the data of different Smart Grid domains and provide interoperability among different Smart Grid agents and stakeholders**. The MAS2TERING ontology links concepts of data representation standards used in different energy domains. The authors' final purpose is to use

³ <http://www.ida.liu.se/~evabl45/defram.en.shtml>

⁴ <http://www.mas2tering.eu/>

this ontology as a base for Smart Grid multi-agent systems for an energy market coordination process for improving energy flexibility among energy prosumers and DSOs. Hippolyte et al. [10] presented the EE-DISTRICT ontology, which provides a common energy knowledge representation for district energy management applications. The purpose of EE-DISTRICT ontology is to **unify the knowledge access to district energy management software applications**.

Finally, the smart city ontology catalogue⁵ publishes a set of ontologies that represent the knowledge about smart city energy performance. The Mirabel ontology [50] represents the knowledge about energy actors' (i.e., home end-users) and energy flexibility for specific devices (i.e., home appliances). The purpose is **to connect energy management systems developed by different energy stakeholders to handle supply and demand of energy**. The LCC ontology [51] represents the knowledge about building energy consumption. This ontology has been developed **to publish energy consumption data about cities' infrastructures as a knowledge base**.

Knowledge-based Energy Sustainability Solutions

Below an overview of the developed knowledge-based energy sustainability solutions is presented.

Curry et al. [52], Hu et al. [53], Niknam and Karshenas [54], and Pont et al. [55] presented energy management systems that assess citizens about urban infrastructures energy performance.

Curry et al. [52] presented an enterprise energy observatory system is presented. The aim of this system is **to improve enterprise energy management at different levels from both economic and ecological perspectives**. The enterprise energy observatory system includes data analysis and display applications that provide an enterprise energy performance view at organizational, function and individual level:

- 3 *Organizational level*: executives can view the real-time consumption of energy across all enterprises domains such as Information Technology facilities or travel.
- 4 *Function level*: the system provides a fine-grained understanding of what business activities are responsible for IT energy usage, and can enable IT to bill appropriately.
- 5 *Individual level*: it gives an employee real-time energy consumption data on their IT facilities or travels.

The system includes also internal applications (i.e., a complex event processing engine, data search and query engines) that ease the knowledge extraction of enterprise Linked Data by energy analysis applications. All system applications are underpinned by energy related data from different enterprise domains that have been published as Linked Data [56].

Hu et al. [53] developed a building energy performance assessment system (EPAS) within the SuperB project⁶. This system **shows the performance gap between predicted and measured building energy performance data**. The EPAS includes tools that measure, analyse and show building or particular zones energy performance data. The energy performance data are expressed as energy metrics such as energy use intensity, energy cost or normalised atmospheric emissions. These metrics are compared with building predicted energy performance data. A building energy performance simulation model makes these predictions.

⁵ <http://smartcity.linkeddata.es/>

⁶ http://cordis.europa.eu/project/rcn/187015_en.html

Data used by the EPAS analysis and display tools is represented with the vocabularies of an ontology [57] that contains and links/fuses building data of different domains.

Niknam and Karshenas [54], and Pont et al. [55] also present building EPASs, but in this case these systems are focused on the design stage.

The EPAS developed by Niknam and Karshenas [54] **shows building designers the building energy performance corresponding to a building specific design**. The objective is to optimize the building design for a better energy performance. Specifically, a prototype of the EPAS was developed to predict through a heating cost calculation algorithm the building heating cost based on the data about the design and simulated environmental conditions. The EPAS is underpinned by four ontologies that represent the knowledge about building properties, mechanical equipment specifications, historical weather information of building geographic location and energy cost information.

Pont et al. [55] presented a web decision support and optimization platform for building designers is presented. The purpose of the web platform is to make buildings energy performance-oriented designs within the SEMERGY project⁷. This platform **shows building designers' suggestions about different building components alternatives according to user preferences and technical constraints for optimizing heating demand, environmental impact and investment cost**. These suggestions are made by a reasoning interface that makes inferences from semantically represented data about building design and simulated environmental conditions.

The SEMANCO⁸ integrated platform was developed within the SEMANCO project⁹. This platform shows the energy related data about cities to different actors. The aim of this platform is **to provide a complete view of a city's energy performance in order to help different city actors (i.e. energy policy makers, building designers, citizen) to make informed decisions for reducing cities carbon emissions**. The platform includes visualization tools that display energy data and analysis tools that perform different analysis tasks (i.e., make energy performance predictions, classify buildings according to their consumption or carbon emissions) over cities energy data at different scales (building, neighbourhood, municipality or region). The integrated platform is underpinned by the SEMANCO ontology, which captures energy efficiency concepts of urban areas [58]. The objective of this ontology is to provide models for urban energy systems to be able **to provide assessment about the energy performance of an urban area**.

The solutions presented by Burel et al. [59], Fensel et al. [60], Yuce and Rezgui [61], and Stavropoulos et al. [62] apart from offering energy assessment, are focused on **offering citizens suggestions for improving urban infrastructures energy performance**.

Burel et al. [59] presented the EnergyUse collaborative web platform. The purpose of this platform is **to raise a home end users' climate change awareness**. The platform collects home appliances energy consumption data from smart plugs and allows end users viewing and comparing the actual energy consumption of various appliances. Users can also share energy consumption values with other users and create open discussions about energy saving tips. Discussions are described and classified by tags defined by users. These tags correspond to energy appliances and topics related with the discussed energy saving tips. The EnergyUse

⁷ <http://www.semergy.net/>

⁸ http://www.semanco-project.eu/index_htm_files/SEMANCO_D5.4_20131028.pdf

⁹ <http://semanco-project.eu/>

platform includes tools that analyse and extract concepts from discussions created. These tools link extracted concepts with appliance and environmental terms included in external semantic repositories in order to create new tags and descriptions for discussions. The purpose of these additional tags and descriptions is to improve user navigation experience among discussions. Finally, the EnergyUse platform also exports appliance consumption and community generated energy tips as linked data to be used by third parties, such as other users or websites. The EnergyUse platform is supported by the ontology EnergyUse, which represents the knowledge about home users and the energy performance of home devices.

Fensel et al. [60] presented a home energy management platform developed within SESAME and SESAME-S¹⁰ projects. The aim of this platform is **to help home users making better decisions in order to reduce their energy consumption**. The platform allows users defining energy saving policies and it generates its own energy saving policies through an ontology reasoning engine. Specifically, this ontology reasoning engine generates schedules and rules for turning on and off home devices based on tariff plans and desired indoor environmental conditions. Energy saving policies are presented through different user interfaces aimed to stimulate and facilitate users to use energy more responsibly. Home energy data are semantically represented with the vocabularies of several ontologies. These ontologies represent the knowledge about home automation devices, metering equipment, and energy types and tariffs.

Yuce and Rezgui [61] presented a building energy management system that **assists users to save energy** developed within the KnoholeM Project¹¹. This system is underpinned by a semantic knowledge database that contains building information and devices metering data. These data are used by an artificial neural network that learns building consumption patterns, and a genetic algorithm-based optimization tool that generates optimized energy saving rules taking into account learned energy consumption patterns and different objectives (including comfort) and constraints. These rules are presented to facility managers as energy saving suggestions through a graphical user interface.

Stavropoulos et al. [62] developed a building energy management system that combines energy assessment, energy advice and building automation was developed. This system **monitors building energy performance and shows this information to allow users taking actions to increment energy savings**. Intelligent agents within the system also devise short-term and long-term energy saving policies automatically generated and enforced. Furthermore, the system is also designed to receive energy providers' instructions in future Smart Grids. This system is supported by the ontology BOnSAI [63], which represents the knowledge about building energy performance.

Knowledge-based Energy Resilience Solutions

Below an overview of the developed knowledge-based energy resilience solutions is presented.

Zhou et al. [64] and Gillani et al. [65] presented complex event processing engines applied in the energy domain. Complex event processing deals with detecting "*real-time situations represented as event patterns*" [64].

¹⁰ <http://sesame-s.ftw.at>.

¹¹ <http://www.knoholem.eu/page.jsp?id=2>

Zhou et al. [64] developed a complex event processing engine [66] developed within the Los Angeles Smart Grid Demonstration Project¹² is presented. The purpose is **to enable dynamic DR applications that detect power peak situations and perform actions to improve DR**. The complex event processing engine is supported by a Smart Grid semantic information model [67] made up of different ontologies in order to represent different energy data domains (i.e., electrical equipment, infrastructure information, weather information).

The complex event processing engine developed by Gillani et al. [65] is oriented **to ease energy transaction between energy producers, consumers and prosumers within the Smart Grid**. The complex event processing engine is supported by the ontology that represents energy data of prosumer oriented Smart Grids presented by Gillani et al. [49].

Shi et al. [68] and Maffei et al. [69] presented energy management solutions to improve microgrids resilience.

Shi et al. [68] presented a **microgrid energy management and control system that combines both sustainability and resilience actions**. Hence, this system impacts on both data analysis and display and dynamic layers. On the one hand, the microgrid energy management system includes a Human Machine Interface (HMI) for microgrid monitoring and control. Apart from that, the system includes a microgrid scheduling algorithm and a microgrid DR optimization algorithm. The DR optimization algorithm adapts microgrid demand to real-time energy prices. The energy-scheduling algorithm schedules microgrid DERs and loads with both economic and ecological optimization purposes. Both algorithms use semantically represented data that includes microgrid devices information, weather forecast information, DR signals received from the utility and energy market information.

Maffei et al. [69] presented a semantic-middleware for multi-objective energy management in microgrids. **This system is focused on reducing the microgrid operating costs, as well as line losses** based on the microgrid forecast energy demand and renewable generation. The system is underpinned by an ontology that represents and links data about microgrid loads and devices, loads energy performance and load control and metering systems.

Finally, Zhang et al. [70] presented an energy management platform for VPPs. VPPs are groups of DERs and controllable loads that act as a single energy stakeholder within the Smart Grid. Within VPPs, energy prosumers sell their surplus energy during energy curtailment or energy consumption peak load periods. The energy management platform adapts VPPs energy production and consumption to peak loads that occur both either in the VPP or the Smart Grid. The energy management platform includes algorithms that **select the best energy storage systems scheduling strategy among energy prosumers for facing energy peak load periods in Smart Grid and VPP in a distributed manner**. The selection of the strategy is based on energy generation sources and loads, respective energy generation and consumption forecasting performed by machine learning algorithms, i.e., Dynamic Bayesian Networks. All the information used by the platform to manage VPPs energy DR is semantically represented by an ontology, which includes knowledge about building features and energy performance.

Ontology Selection and Classification

¹²https://www.smartgrid.gov/project/los_angeles_department_water_and_power_smart_grid_regional_demonstration.html

Once existing energy ontologies, knowledge-based energy management solutions and their objectives were identified, these solutions were classified into different application types according to their objectives and the tasks they perform. Specifically, the solutions with similar objectives and tasks were grouped into application types. Then, the ontologies developed to provide support to these solutions were classified into the defined application types.

The existing energy ontologies represent support a wide variety of Smart Grid energy management applications. The reviewed energy management applications can be classified into different types according to the Smart Grid scenario/infrastructure where they are deployed, i.e., Smart Home or building energy management applications. We define these application types as *Smart Grid scenarios* [38]:

- *Smart Home energy management applications*: they are focused on controlling and monitoring home device energy operation. With this information, these applications provide home users a complete energy performance assessment and give them advice to reduce the home energy consumption and its ecological energy impact.
- *Building/district/city energy management applications*: they are focused on giving a complete energy performance assessment about the energy usage and the main energy performance indicators of buildings and districts.
- *Organization energy management applications*: they are focused on providing a holistic view of organization energy performance assessment and suggesting energy reduction measures.
- *Microgrid energy management applications*: they are focused on improving the efficiency and flexibility of microgrids, which aim to improve the current grid efficiency and flexibility by integrating distributed energy generation, energy storage systems and loads.
- *Smart Grid DR management applications*: they are focused on managing the energy consumption of infrastructures in response to the current energy supply conditions.

Each Smart Grid scenario encompasses more specific application types. For instance, within Smart Home energy management, there are applications focused on home energy assessment and device control (i.e., [39]), home energy saving advice (i.e., [59], [60]) and home appliances DR management (i.e., [40]). Below we enumerate the specific application types encompassed by each Smart Grid scenario:

- **Smart Home energy management applications**: home energy assessment and device control applications, home energy saving advice applications and home appliances DR management applications.
- **Building/district/city energy management applications**: building automation systems integration applications, city energy performance assessment applications and building energy saving advice applications.
- **Organization energy management applications**: organization energy saving advice applications and organization energy assessment applications.
- **Microgrid energy management applications**: include microgrid multi-objective energy management applications.
- **Smart Grid DR management applications**: Smart Grid energy market coordination process applications and data driven DR applications.

Table 6, shows in which of the aforementioned application types were classified the reviewed energy management solutions.

Smart Grid scenario	Application type	Energy management solutions
Smart Home energy management	Home Energy assessment and device control	Kofler et al. [39]
	Home energy saving advice	Burel et al. [59] Fensel et al. [60]
	Home appliances Demand Response management	Daniele et al. [40]
Building/district/city energy management	Building automation systems integration	Fernbach et al. [42] Tomasevic et al. [43]
	Building energy performance assessment	Hu et al. [53] Niknam and Karshenas [54] Pont et al. [55]
	City energy performance assessment	Corrado et al. [58] Hippolyte et al. [48]
	Building energy saving advice	Yuce and Rezgui [61] Stavropoulos et al. [62]
Organization energy management	Organization energy saving advice	Blomqvist and Thollander [45]
	Organization energy assessment	Curry et al.
Microgrid energy management	Microgrid multi-objective energy management	Salameh et al. [46] Shi et al. [68] Maffei et al. [69]
Smart Grid Demand Response management	Smart Grid energy market coordination process applications	Hippolyte et al. [47] Zhang et al. [70] Gillani et al. [65]
	Data driven Demand Response	Gillani et al. [49] Zhou et al. [64]

Table 6: Classification of knowledge-based energy management solutions into application types

Finally, among the reviewed solutions, the available ontologies were selected and classified according to the application type they support. As a result of this selection process, Table 7 shows the selected energy ontologies and Table 8 shows how they were classified into energy management application types. It is worth mentioning that there are not available energy ontologies for all the application types enumerated in Table 6, i.e., the ontologies developed to provide support to microgrid energy management applications. Hence, these application types were not included in the final ontology classification shown in Table 8.

Name	Latest update	Main purpose	RDF/XML URI reference
ThinkHome ontology	2014-03-12	Representation of Smart Home energy data	https://www.auto.tuwien.ac.at/downloads/thinkhome/ontology/
DEFRAM project ontology	2013-09	Representation of organization energy audits and investment cost of energy saving actions	http://www.ida.liu.se/projects/semtech/schemas/energy/2013/09/efficiency.owl
SAREF4EE ontology	2015-12-23	To improve interoperability among electrical appliances of different manufacturers	http://ontology.tno.nl/saref4ee/
BOnSAI ontology	2012	Representation of building energy performance	http://lpis.csd.auth.gr/ontologies/bonsai/BOnSAI.owl
EnergyUse ontology	2016-04-22	Representation of home energy consumption data and discussions between home users	http://eelst.cs.unibo.it/apps/LODE/source?url=http://socsem.open.ac.uk/ontologies/eu
ProSGV3 ontology	2014-05-12	Representation of prosumer oriented Smart Grid data	http://data-satin.telecom-st-etienne.fr/ontologies/smartgrids/proSGV3/ProSG.html

LCC ontology	2014-11-26	Representation of building energy consumption data	http://smartcity.linkeddata.es/lcc/lcc-dataset.ttl
Mirabel ontology	2013	Representation of devices energy flexibility and user preferences	https://sites.google.com/site/smartappliancesproject/ontologies/mirabel.ttl
DERI Linked Dataspace	2012	Representation of organization energy performance data	http://vocab.deri.ie/
SEMANCO ontology	2014-07-30	Representation of urban area energy performance	http://semanco-tools.eu/ontology-releases/eu/semanco/ontology/SEMANCO/SEMANCO.owl

Table 7: Selected energy ontologies

Smart Grid scenario	Application type	Ontology
Smart Home energy management	Home Energy assessment and device control	ThinkHome ontology
	Home energy saving advice	EnergyUse ontology
	Home appliances Demand Response management	SAREF4EE ontology Mirabel ontology
Building/district/city energy management	Building energy performance assessment	LCC ontology
	City energy performance assessment	SEMANCO ontology
	Building energy saving advice	BonSAI ontology
Organization energy management	Organization energy saving advice	DEFRAM project ontology
	Organization energy assessment	DERI Linked dataspace
Smart Grid demand response management	Data driven Demand Response	ProSGv3 ontology

Table 8: Classification of energy ontologies into energy management application types

4.2 Step 1: Definition of DABGEO Ontology Layers

The layered ontology structure proposed in Step 1 of the MODDALS methodology (see Section 3.2) was defined for DABGEO by the domain experts taking as reference the ontology classification obtained in the preliminary step. Following this structure, DABGEO includes three layers. The *common-domain layer* represents the top-level knowledge of energy domains and the knowledge common to Smart Grid scenarios. Variant domain knowledge still common to more than one Smart Grid scenario is included in the *variant-domain layer*. The *domain-task layer* includes the knowledge reused in specific Smart Grid scenarios and is divided into two sublayers: the *Smart Grid scenario* and the *application type* sublayers. The former represents the knowledge relevant to a certain Smart Grid scenario and the later represents the knowledge reused only by certain energy management application types of a Smart Grid scenario. The domain experts named each sublayer to facilitate the distinction between both sublayers.

4.3 Step 2: DABGEO Knowledge Hierarchy Definition

In this step, the domain knowledge hierarchy of DABGEO was defined.

Figure 8 shows part of the whole knowledge hierarchy of DABGEO. Since the DABGEO domain knowledge was classified based on a domain analysis of existing energy ontologies, the knowledge hierarchy includes the knowledge represented by existing energy ontologies. The domain experts and ontology engineers collaborated to perform a manual analysis of ontology elements in Protégé to identify the domains they represent and to divide them into KAs.

Below we describe how Step 2 activities were conducted to define the part of the knowledge hierarchy shown in Figure 8.




Figure 8: Part of DABGEO knowledge hierarchy for the energy equipment domain

1. **Domain/subdomain definition:** in this activity, domain experts and ontology engineers analysed the knowledge represented by existing energy ontologies to identify the domains they represent:

- a. *Energy equipment domain:* the features and operation data about energy consumption production and storage devices.
- b. *Infrastructure domain:* data on structural features and environmental conditions of infrastructures such as homes or buildings.
- c. *Energy performance domain:* data on energy performance values and indicators such as energy consumption or production.
- d. *Energy external factors domain:* data on factors that may hinder the energy performance such as weather or environmental conditions.
- e. *Smart Grid stakeholders domain:* data on the actors that participate in the energy market such as energy consumers and producers.

In addition, the root concepts of each domain were defined by domain experts. For instance, *device* was defined as the root concept of the *energy equipment domain* because this concept is extended by the rest of the data (device types, device operation data) included in the domain.

These domains were divided into subdomains by domain experts because they are extensive. For instance, many concepts are needed to describe the whole *energy equipment domain*, since this domain encompasses data about many device types and their operational aspects. Hence, this domain was divided into the *energy consumption systems* and *device operation* subdomains, among others (see Figure 8). The former contains knowledge about energy consumption devices such as appliances or heating systems. The latter represents functional features about devices such as device state or device functionality.

2. **Knowledge area definition:** in this activity, the ontology engineers (in collaboration with domain experts) analysed the existing energy ontologies to identify the CQs they answered. The CQs were taken as reference to divide the knowledge of existing energy ontologies into KAs. In total, 10 energy ontologies were analysed, including ThinkHome and EnergyUse. Below we explain how the sub-activities of the *knowledge area definition and classification* activity were conducted to define some sample KAs within the *energy consumption systems* and *device operation* subdomains.

2.1 Class hierarchy-based KA definition: firstly, the class hierarchies of the energy ontologies were analysed by ontology engineers to identify the CQs. Regarding energy consumption systems data, the energy ontologies represent the *Appliance* class and more specific appliances as subclasses of this class. Therefore, one of the CQs answered by the class hierarchies is *What type of appliances are there?* Hence, the *appliance KA*

was defined, which encompasses the *appliance* concept. The ThinkHome ontology is the one that classifies appliances with more granularity, so the class hierarchy of this ontology was taken as reference to define the *appliance KA* and its sub-KAs. ThinkHome classifies the *Appliance* class into subclasses that represent specific appliance types such as *Brown goods* and *White goods*, which, in turn, encompass subclasses that represent specific white and brown good types. The class hierarchy was populated with specific classes from other ontologies such as classes that represent specific white goods (i.e., *Refrigeration devices*). Each of these classes were defined as KAs (see Figure 8). In addition, each KA of each class was defined as a sub-KA of the corresponding superclass. Regarding the device operation data, the existing energy ontologies answer the following CQs: *What are the device functionality types*, *What are the device state types*?. Hence, the *device functionality* and *device state* KAs were defined.

2.2 Ontology elements relation-based KA definition: the remaining KAs were defined after identifying the CQs answered by a set of interrelated elements of existing energy ontologies. As an example, Figures 9 and 10 show a set of ontology elements of ThinkHome and EnergyUse ontologies respectively within a Protégé screenshot. As marked (in red) in Figure 9, the ThinkHome ontology includes the *consumesEnergy*, *actuallyConsumesEnergy* and *maxConsumesEnergy* properties. These properties describe the energy consumption, actual energy consumption and maximum energy consumption of a certain device respectively. Hence, the ThinkHome ontology answers the following CQs: *What is the energy consumption of a device?*, *How much energy is a device consuming?* and *What is the maximum energy consumption of a device?* On the other hand, as shown in Figure 10, the EnergyUse ontology includes the *hasConsumption* property to answer the *What is the energy consumption of a device?* CQ. All these CQs describe energy consumption of devices, so they were grouped by the domain experts into the *device energy consumption KA* (which also includes CQs answered by other energy ontologies). This KA encompasses the knowledge that answers the aforementioned CQs. In the same way, the *energy consumption systems operation* and *appliance working mode* KAs were defined. These KAs encompass the knowledge about operational aspects of specific energy consumption systems and appliance working modes respectively.




Figure 9: Ontology elements of ThinkHome ontology




Figure 10: Ontology elements of EnergyUse ontology

3. **Knowledge hierarchy refinement:** in this activity, the KAs were placed into a knowledge hierarchy level according to the knowledge they represent and extend, thus completing the knowledge hierarchy. Figure 8 shows in which subdomain and hierarchy level was placed each KA introduced in previous examples. In addition, the KA dependencies were also defined. For instance, the *energy consumption systems operation KA* describes specific states and functionalities of energy consumption systems and encompasses CQs such as *What is the minimum number of states an air condition system has?* and *Do ventilating systems have any notification functionality?*. Therefore, this KA requires the knowledge of this KA requires the knowledge of *device state* and *device functionality* KAs, which include knowledge about possible device states and functionalities respectively. Finally, the domain experts provided a complete description of each KA and the knowledge/CQs it encompasses in the KADD document. As an example, Table 9 shows the KADD document that includes some the KAs shown in Figure 8.

Knowledge area	Competency Questions/description
Appliances	<ul style="list-style-type: none"> • Description: it represents data about different types of (home) appliances (white goods, brown goods). We consider that this knowledge area is represented by an ontology if data about any appliance is represented or of there is a class that explicitly represents 'Appliances'. This knowledge area encompasses the following sub-knowledge areas: brown goods and white goods. • Competency Questions: <ol style="list-style-type: none"> 1. What types of appliances/electrical appliances are there?
Brown goods	<ul style="list-style-type: none"> • Description: it represents data about any small appliance such as coffee makers, office and entertainment equipment or multimedia devices. We consider that this knowledge area is represented by an ontology if any of these devices are represented or of there is a class that explicitly represents 'brown goods'. This knowledge area encompasses the following sub-knowledge areas: IT equipment and entertainment equipment. • Competency Questions: <ol style="list-style-type: none"> 1. What types of brown goods are there?
White goods	<ul style="list-style-type: none"> • Description: it represents data about any large electrical goods used domestically such as refrigerators and washing machines, typically white in colour. We consider that this knowledge area is represented by an ontology if any of these devices are represented or of there is a class that explicitly represents 'white goods'. This knowledge area encompasses the following sub-knowledge areas: cooking devices, cleaning devices and refrigeration devices. • Competency Questions: <ol style="list-style-type: none"> 1. What types of white goods are there?
Device energy consumption	<ul style="list-style-type: none"> • Description: it represents data about devices energy consumption, i.e., the consumption amount in a certain period of time. • Competency Questions: <ol style="list-style-type: none"> 1. How much energy is consumed by a certain device? 2. How much energy is consumed by an energy consumer facility at a certain point in time? 3. How much energy is maximally consumed by a certain energy consumer facility in a specific state? 4. What is the energy consumption summary of a certain appliance? 5. What is the energy consumption statistic of a certain energy consumption summary? 6. What is the typical energy/power consumption of a certain device? 7. What types of electrical appliance consumption categories are there? 8. What is the consumption class of a certain electrical appliance?

Table 9: KADD of the energy equipment domain

4.4 Step 3: DABGEO Knowledge Classification

A domain analysis of existing energy ontologies was conducted by the ontology engineers to classify the defined KAs into each layer.

Firstly, the domain experts included in the common-domain layers the KAs that represent relevant domain knowledge for the domain. Then, the following activities were conducted.

- 1. Analysis of existing ontologies:** existing energy ontologies were manually analysed with Protégé to determine if they represented the KAs of energy domains. Specifically, tools available in this editor were used to find the KA key words (extracted from the KA description provided by the domain experts) in the ontology elements. If the ontology contained necessary elements or statements to answer the CQs encompassed by the KA, the KA was considered as represented by the ontology. As an example, Figure 11 shows a screenshot of a set of ThinkHome ontology classes that represent specific brown goods (i.e., alarm clock, entertainment equipment). Therefore, the ontology answers the CQ *what types of brown goods are there?*, which is encompassed by the *brown goods* KA. Taking this into account, we considered that the ThinkHome ontology represents this KA.




Figure 11: Representation of the brown goods KA by ThinkHome ontology

The brown goods KA is an intuitive example that requires only the analysis of certain classes to determine whether the KA is represented. However, other KAs required a more exhaustive analysis, since they were represented by more specific classes and relations. Taking as an example the device energy consumption KA (described at the end of Section 4.3), only certain properties were applied to relate device operational aspects with specific energy consumption systems. Hence, a more exhaustive analysis of energy ontologies was performed to see whether they represent this KA.

- 2. Commonality and Variability Analysis:** a CVA was conducted to identify common and variant energy KAs of each energy subdomain. An application-knowledge matrix of each energy subdomain was created to determine which Smart Grid scenarios reuse each subdomain KA, taking as reference the representation of these KAs by existing energy ontologies. As an example, Table 10 shows the application-knowledge matrix of some KAs of the *energy consumption systems* subdomain (included in the knowledge hierarchy of Figure 8). The left column includes the KAs, while the top row includes the Smart Grid scenarios and the ontologies that provide support to the applications deployed in these scenarios. To simplify the table, we omitted several ontologies. Since there are currently four Smart Grid scenarios for which ontologies were developed (according to the classification performed by [38]), 75% was used as the threshold value to classify the KAs as common or variant depending on their CV ratio.

		Smart Grid scenarios							Commonality Ratio	
		Smart Home energy management				Building/district/city energy management	Organization energy management			Smart Grid Demand Response management
Ontologies	Knowledge areas	ThinkHome ontology	EnergyUse ontology	SAREF4EE ontology	Mirabel ontology	SEMANCO ontology	DEFRAM project ontology	DERI Linked dataspace	ProSGV3 ontology	
	Appliances	X	X	X	X	X	X	X	X	100%
	Brown goods	X	X	-	-	-	-	X	X	75%
	White goods	X	X	X	-	X	-	-	X	75%
	Refrigeration devices	X	X	-	-	-	-	-	X	50%
	Energy consumption systems operation	X	X	-	-	-	-	-	-	25%
	Appliance working mode	-	-	X	-	-	-	-	-	25%

Table 10: Application-knowledge matrix of the energy consumption systems subdomain

3. Knowledge area layer assignment: the KAs were classified into different layers according to the CVA results. For instance, the *appliances*, *brown goods* and *white goods* KAs were classified into the *common-domain layer*, since their CV ratio was equal of above 75%. The *refrigeration devices* KA was placed in the *variant-domain layer*, since it was common to more than one Smart Grid scenario although its CV ratio was below 75%.

4. CVA at the application type level: the KAs reused only one Smart Grid scenario were classified into the sublayers of the domain-task layer according to the CVA at the application type level. Following the sample CVA shown in Table 10, the *energy consumption systems operation* and the *appliance working mode* KAs were included in this domain analysis, since they were only represented by ontologies from Smart Home energy management applications. This low representation is because these KAs encompass the knowledge that answers very specific CQs that only ontologies reused in Smart Home energy management applications must answer. The domain analysis at the application type level for these KAs is shown in Table 11. The *energy consumption systems operation* KA was reused by more than one Smart Home energy management application type (*home energy assessment* and *home energy saving advice* applications), so it was placed in the *Smart Grid scenario sublayer*. The *appliance working mode* KA was reused only by one Smart Home energy management application type (*home appliances DR management*), so it was placed in the *application type sublayer*.

		Smart Home energy management			
		Home energy assessment	Home energy saving advice	Home appliances Demand Response management	
Ontologies	Knowledge areas	ThinkHome ontology	EnergyUse ontology	SAREF4EE ontology	Mirabel ontology
	Energy consumptions systems operation	X	X	-	-
	Appliance working mode	-	-	X	-

Table 11: CVA at application level of energy consumption systems subdomain

Finally, ontology engineers wrote list of the KAs of each layer/sublayer following the template proposed in Table 4. As an example, Table 12 shows the classification of the sample KAs included in the CVAs of Table 10 and Table 11.

Common-domain layer	Variant-domain layer	Domain-task layer
Appliances Brown goods White goods	Refrigeration devices	Smart Grid scenario sublayer
		Energy consumptions systems operation
		Application type sublayer
		Appliance working mode

Table 12: Classification of energy KAs

4.5 Step 4: Structuring of DABGEO Layer Knowledge

Finally, the knowledge of each layer was structured into ontology modules by the ontology engineers, thus completing the design of DABGEO layered ontology structure.

In particular, they wrote the list of ontology modules of each layer following the template proposed in Table 5. As an example, Table 13 shows the ontology modules of part of the *energy consumption systems subdomain*. These modules represent the knowledge of the KAs included in the sample domain analysis shown in Section 4.4. Below we detail how the activities of this step were carried out, taking as an example this subdomain.

1. **Ontology modularization:** in Step 2, *device* was defined as the top-level concept of the *energy equipment domain* and, by extension of the *energy consumption systems subdomain* (see Section 4.3). Hence, the *Device ontology module* was defined, which represents the *Device* top-level concept and device main properties, i.e., device name. In addition, all the common KAs (i.e. appliances, white goods KAs) of this subdomain were grouped into the *energy consumption systems ontology*, which includes all the knowledge they encompass. Both ontology modules are placed in the *common-domain layer*.
Then, one ontology module was defined for each variant KA (i.e., *refrigeration devices ontology*), and these modules were classified into lower-level layers according to the domain analysis results. Within the *Smart Grid scenario* and *application type* sublayers, the ontology modules were classified depending on the Smart Grid scenario or the specific energy management application type where the KAs they represent are reused.
2. **Inclusion hierarchy definition:** the defined ontology modules were organised into an inclusion hierarchy that establishes the high-level relations between the ontology modules. The inclusion hierarchy was defined based on the knowledge that the ontology modules extend or require (taking as reference the knowledge hierarchy defined in Step 2). For instance, the *Device ontology* is included by the *energy consumption systems ontology*, which in turn is included by a set of ontology modules from lower-level layers. Additionally, some modules from the *energy consumption systems subdomain* (*energy consumption systems operation ontology*) include modules from other subdomains (*device state ontology* and *device functionality ontology*), since they require that knowledge.

Common-domain	<ul style="list-style-type: none"> • Device ontology • Energy consumption systems ontology (includes: device ontology) 	
	Variant-domain layer	
Domain-task layer	Smart Grid scenario sublayer	
	Smart Home energy management	
	<ul style="list-style-type: none"> • Energy consumption systems operation ontology (includes: energy consumption systems ontology, device state ontology and device functionality ontology) 	
	Application type sublayer	
Home appliances Demand Response management		
<ul style="list-style-type: none"> • Appliance working mode ontology (includes: energy consumption systems ontology) 		

Table 13: Ontology modular structure of energy consumption systems subdomain

5 Evaluation of MODDALS

As stated by de Hoog [71], “it is extremely difficult to judge the value of a methodology in an objective way”. On the one hand, it is unlikely that anyone will be willing to pay twice for building or designing the same extended ontology using different approaches. On the other hand, the application of a methodology is a complex process where too many conditions cannot be controlled. Hence, the evaluation of previous ontology development and design methodologies consisted on showing the experiences of applying the methodology in one or more use cases [22], [72], [73]. Considering this, we report in this section how we performed a first evaluation of the MODDALS methodology.

The main objective of the research is to define a methodology to design the layered structure of reusable and usable ontologies that enables to classify the domain knowledge by taking as

reference existing ontologies. Hence, the evaluation has focused on determining if MODDALS enables this classification. To demonstrate this aspect, we checked whether MODDALS steps can be correctly followed by different domain experts and ontology engineers. We consider that MODDALS steps can be followed correctly if different domain experts and ontology engineers are able to obtain similar knowledge classifications performing a domain analysis of existing ontologies. Therefore, the evaluation of MODDALS has focused on answering the following research question:

- Can MODDALS be applied by different domain experts and ontology engineers with similar knowledge classification results?

To answer this question, MODDALS was applied by different energy domain experts and ontology engineers to design a part of the layered structure of DABGEO. A group of domain experts and ontology engineers conducted Steps 1 and 2, while the ontology engineers (eight in total) conducted Steps 3 and 4 with the collaboration of the experts. Each ontology engineer performed Steps 3 and 4 individually in a blind process. However, they could contact the domain experts for any clarification or additional explanation about the defined KAs to decide in which layer to place certain KAs. The knowledge classifications obtained by each engineer are analysed to check if they are similar in Section 5.1.

In addition, to get the experiences of the domain experts and ontology engineers on applying MODDALS, we performed a survey, which is a well-known method for evaluating methodologies [22], [74]. The survey includes a questionnaire that the participants in the MODDALS evaluation answered to (1) identify MODDALS main benefits and drawbacks, (2) identify future lines of research to improve the methodology and (3) determine whether it is ready to be applied in other domains apart from the Energy. In Section 5.2, we show the responses to the questionnaire.

5.1 MODDALS Application Results

In this section, we first show the energy knowledge classification obtained by different ontology engineers after applying MODDALS to design part of DABGEO layered structure. To compare the knowledge classifications and analyse whether they are similar, we analysed the number of modules defined by each engineer in each layer. However, although the number of modules is the same, they may contain different knowledge. Hence, the *degree of consensus* with which the ontology engineers classified the KAs into different layers was also analysed. The degree of consensus of a KA is the percentage of ontology engineers that classified the KA into the same layer.

Figure 12 shows how many modules were defined by each engineer in each layer of the designed energy ontology. Figure 12 also shows the number of modules of the *domain-task layer* that were classified into each energy management application type. It is worth mentioning that the *domain-task layer* did not include any sublayer, since the designed ontology part was only limited to support three application types: home energy saving advice, home appliances DR management and Smart Grid DR management applications.

In general, the number of modules defined by each ontology engineer was similar in all layers. This similarity is due to the high degree of consensus with which the ontology engineers classified the KAs into different layers. Within the conducted evaluation, the average degree of consensus of all the KAs classified by the ontology engineers was 76%. It is worth mentioning that from the sixth ontology engineer that applied MODDALS onwards, the average degree of

consensus remained stable in 76%. Therefore, the MODDALS evaluation participants obtained similar ontology designs.




Figure 12: Ontology modules of each layer

Most of the KAs (specifically 80%) whose degree of consensus was above the average (76%) were classified into the *common-domain* and *variant-domain* layers. As an example, some of these KAs, as well as their degree of consensus and the layer/application type were these KAs were placed, are shown in Figure 13. Therefore, we can conclude that there was a high consensus when separating the common domain knowledge from the variant knowledge reused by specific application types.





Figure 13: KAs with high degree of consensus

Although ontology engineers could contact the domain experts for any clarification about the knowledge the KAs encompass, each ontology engineer had their own interpretation about the knowledge represented by existing ontologies. Thus, the degree of consensus of some KAs was lower (some examples are shown Figure 14). This aspect constitutes one of the drawbacks of MODDALS, as we discuss later in Section 5.2. A significant part (62%) of the KASs with low degree of consensus are child KAs of KAs whose degree of consensus is above the average (76%). Therefore, most of the differences in the classification of knowledge occurred in KAs that represent very specific knowledge, without affecting the rest of the classification.



Considering these results, domain experts and ontology engineers could follow MODDALS steps to obtain similar knowledge classifications. This classification was performed based on a domain analysis of existing ontologies, which complemented domain experts and ontology engineers' experience. Therefore, **we can state that MODDALS can be applied by different domain experts and ontology engineers with similar knowledge classification results, enabling to classify the domain knowledge by taking as reference existing ontologies.**

5.2 MODDALS Feedback

This section explains the responses of MODDALS evaluation participants to the questionnaire we provided for feedback on the methodology. The questionnaire included the following questions:

- What are the positive aspects of MODDALS?
- What are the disadvantages of MODDALS?
- What are your suggestions for improving MODDALS?
- Would you apply the MODDALS methodology again and recommend it to other developers to develop global ontologies in other domains (Yes/No)?

So far, we received 8 responses from participants involved in MODDALS evaluation. According to the survey respondents, the main benefits of MODDALS are the following:

1. Due to the domain analysis of existing ontologies, MODDALS provides a detailed classification of the knowledge reused by specific application types, while keeping separate the knowledge relevant to many applications. Some of the comments of survey respondents about this benefit were: *"Common-domain layer starts with very general ideas and then it goes to more specific concepts in the next layers"*; *"It gives clear steps for determining which knowledge areas are common to existent ontologies and which knowledge areas are specific to certain ontologies/applications"*; *"ideology of multiple layers" [sic], "designed ontologies are likely to provide a balance between reusability and usability"*; *"It is very useful to compare different ontologies and identify which aspects are common on them"*.
2. MODDALS is easy to follow and provides clear and mechanical steps. Some of the comments of survey respondents about this benefit were: *"It gives clear steps (mostly mechanical)"*; *"It is a simple process"*, *"easy approach"*.
3. MODDALS provides a method to improve the reuse of already developed knowledge to enable the development of interoperable ontologies. *It seems a good method for refactoring already available ontologies without discarding what it has been applied in the domain and enhancing interoperability"*.

On the other hand, the following are the main disadvantages of MODDALS according to the survey respondents:

1. Although it prevents domain experts and ontology engineers from designing the ontology structure from scratch, MODDALS still requires a significant manual ontology analysis effort to check if each KA is represented by existing ontologies. Some of the comments of survey respondents about this disadvantage were: *"It requires much time to perform the domain analysis of existing ontologies"* [sic]; *"identifying if the knowledge area is represented in the ontology is not always straight forward for the ontology engineer"*; *"time-consuming process"*.
2. The classification of some KAs was mainly subject to ontology engineers' interpretation of the KA description provided by domain experts and the analysed ontology knowledge. On the one hand, some of the KA descriptions were open to multiple interpretations. In addition, a manual analysis of ontology engineers may not be sufficient to detect whether certain KAs are represented, since part of the ontology knowledge may be implicit. Therefore, part of the domain knowledge classification is quite subjective, which may influence the final design of the ontology. Some of the comments of survey respondents about this disadvantage were: *"it depends on how well the knowledge area is described by the domain expert and how well documented is the ontology"*, *"the role of the domain expert is catalytic"*; *"step three of the methodology might create a bit of ambiguity"*; *"implied relationships might exist in an ontology, and the end result might not have taken this into account"*; *"analysing the ontologies can be subjective if the sub models are not well defined"*. This disadvantage is clearly reflected in the results shown in Figure 14 (Section 5.1). The average of the degree of consensus when classifying KAs was of 76%. However, there were still KAs classified into different layers by different ontology engineers, although they were defined by the same group of experts.
3. Although it enables the design of maintainable ontology structures, MODDALS does not provide guidelines to extend the ontology structure and reclassify the knowledge when new ontologies and applications arise. Some of the comments of survey respondents about this disadvantage were: *"MODDALS guidelines are limited to design the first version of the ontology"*.

In relation to these disadvantages, the questionnaire respondents provided the following suggestions for improving MODDALS:

1. The main improvement aspect is to define automatic tools to conduct the knowledge classification step to reduce the effort of applying the methodology and to detect all the implicit ontology knowledge.
2. Make domain experts a more active part in Step 3 to reduce different interpretations of the analysed ontology knowledge when classifying them into different layers.
3. Step 3 should define more detailed guidelines that explain how to decide whether a KA is represented by an ontology to minimise possible interpretations of ontology engineers when classifying KAs into different layers.
4. The Step 2 could include an activity where domain experts indicate the level of detail of certain classes and properties required to consider each KA is represented by a certain ontology. This information could complement the definition of KAs to reduce the possibility of different interpretations of the same KAs by different ontology engineers.

Finally, 80% of respondents would recommend the application of MODDALS to design reusable and usable ontologies in other domains. Therefore, we consider that MODDALS has the potential to be applied in more domains apart from the Energy.

6 Conclusions and Future Work

In this paper, we have presented the MODDALS methodology. It guides domain experts and ontology engineers to design the layered structure of reusable and usable ontologies. The output of this process is an informal model with the ontology layers and the knowledge they include at a conceptual level.

MODDALS is the result of combining the best practices of the ontology engineering and SPL engineering fields. MODDALS adopts the main activities and ontology design principles applied by previous reusable and usable methodologies to define the layered ontology structure. In contrast to these methodologies, SPL engineering techniques are applied to classify the common and variant domain knowledge into defined layers according to a domain analysis of existing ontologies. This approach complements domain experts and ontology engineers expertise and prevents them from classifying the domain knowledge from scratch, facilitating the design of the layered ontology structure.

MODDALS was applied by domain experts and ontology engineers to design the layered structure of DABGEO, a global ontology for the energy domain. In that way, we illustrated how this methodology is applied in a real use case.

MODDALS was evaluated to determine whether it enables to classify the domain knowledge by taking as reference existing ontologies. Domain experts and different ontology engineers designed part of DABGEO layered ontology structure by applying MODDALS. They were able to follow MODDALS steps to obtain similar ontology designs by performing a domain analysis of existing ontologies (the degree of consensus when classifying the domain knowledge was 76%). Hence, we can state that MODDALS enables to classify the domain knowledge by taking as reference existing ontologies.

According to MODDALS evaluation participants, its main advantages are: (1) it provides a detailed domain knowledge classification; (2) it is easy to follow and (3) improves the reuse of existing knowledge to develop interoperable ontologies. By contrast, the main disadvantages of the methodology are: (1) the knowledge classification step is time consuming due to the manual ontology analysis effort required and (2) part of the knowledge classification is mainly subject to the subjective criteria of ontology engineers. Hence, MODDALS is still a first step towards a widely accepted methodology to design layered ontology structures for reusable and usable ontologies.

Considering MODDALS evaluation results, our current work is focused on automating the knowledge classification step. In particular, we are exploring the possibility of integrating tools that semi-automatically check whether certain ontologies answer a set of CQs. These tools would save manual analysis effort of existing ontologies. The mid-long term work will consist on (1) extending the methodology to include guidelines to maintain the layered ontology structure and (2) applying MODDALS in more domains to obtain more feedback and improve the methodology in future versions.

7 References

- [1] J. Hebel, M. Fisher, R. Blace, and A. Perez-Lopez, *Semantic web programming*. John Wiley & Sons, 2011.
- [2] T. Gruber, *Ontology*. Springer, 2009.
- [3] M. Maree and M. Belkhatir, "Addressing semantic heterogeneity through multiple knowledge base assisted merging of domain-specific ontologies," *Knowledge-Based Systems*, vol. 73, pp. 199–211, 2015.
- [4] H. Chen, F. Perich, T. Finin, and A. Joshi, "Soupa: Standard ontology for ubiquitous and pervasive applications," in *Mobile and Ubiquitous Systems: Networking and Services, 2004. MOBIQUITOUS 2004. The First Annual International Conference on*, 2004, pp. 258–267.
- [5] H. Wache, T. Voegelé, U. Visser, H. Stuckenschmidt, G. Schuster, H. Neumann, and S. Hübner, "Ontology-based integration of information—a survey of existing approaches," in *IJCAI-01 workshop: ontologies and information sharing*, 2001, vol. 2001, pp. 108–117.
- [6] N. Choi, I.-Y. Song, and H. Han, "A survey on ontology mapping," *ACM Sigmod Record*, vol. 35, no. 3, pp. 34–41, 2006.
- [7] M. Niknam and S. Karshenas, "A shared ontology approach to semantic representation of BIM data," *Automation in Construction*, vol. 80, pp. 22–36, 2017.
- [8] P. Spyns, Y. Tang, and R. Meersman, "An ontology engineering methodology for DOGMA," *Applied Ontology*, vol. 3, no. 1–2, pp. 13–39, 2008.
- [9] J. Morbach, A. Wiesner, and W. Marquardt, "OntoCAPE—A (re) usable ontology for computer-aided process engineering," *Computers & Chemical Engineering*, vol. 33, no. 10, pp. 1546–1556, 2009.
- [10] J. Morbach, A. Yang, and W. Marquardt, "OntoCAPE: A large-scale ontology for chemical process engineering," *Engineering applications of artificial intelligence*, vol. 20, no. 2, pp. 147–161, 2007.
- [11] K. Pohl, G. Böckle, and F. J. van Der Linden, *Software product line engineering: foundations, principles and techniques*. Springer Science & Business Media, 2005.
- [12] S. Apel, D. Batory, C. Kästner, and G. Saake, *Feature-oriented software product lines*. Springer, 2016.
- [13] K. C. Kang, S. G. Cohen, J. A. Hess, W. E. Novak, and A. S. Peterson, "Feature-oriented domain analysis (FODA) feasibility study," Carnegie-Mellon Univ Pittsburgh Pa Software Engineering Inst, 1990.
- [14] A. Fantechi, S. Gnesi, I. John, G. Lami, and J. Dörr, "Elicitation of use cases for product lines," in *International Workshop on Software Product-Family Engineering*, 2003, pp. 152–167.
- [15] P.-Y. Vandenbussche, G. A. Atemezing, M. Poveda-Villalón, and B. Vatant, "Linked Open Vocabularies (LOV): a gateway to reusable semantic vocabularies on the Web," *Semantic Web*, vol. 8, no. 3, pp. 437–452, 2017.
- [16] D. Thakker, V. Dimitrova, L. Lau, R. Denaux, S. Karanasios, and F. Yang-Turner, "A priori ontology modularisation in ill-defined domains," in *Proceedings of the 7th International Conference on Semantic Systems*, 2011, pp. 167–170.
- [17] M. Moon, K. Yeom, and H. S. Chae, "An approach to developing domain requirements as a core asset based on commonality and variability analysis in a product line," *IEEE transactions on software engineering*, vol. 31, no. 7, pp. 551–569, 2005.
- [18] M. C. Suárez-Figueroa, "NeOn Methodology for building ontology networks: specification, scheduling and reuse," *Informatica*, 2010.
- [19] M. Fernández-López, A. Gómez-Pérez, and N. Juristo, "Methontology: from ontological art towards ontological engineering," 1997.

- [20] Y. Sure, S. Staab, and R. Studer, "On-to-knowledge methodology (OTKM)," in *Handbook on ontologies*, Springer, 2004, pp. 117–132.
- [21] H. S. Pinto, S. Staab, and C. Tempich, "DILIGENT: Towards a fine-grained methodology for distributed, loosely-controlled and evolInG," in *Proceedings of the 16th European Conference on Artificial Intelligence (ECAI 2004)*, 2004, vol. 110, p. 393.
- [22] M. C. Suárez-Figueroa, A. Gómez-Pérez, and M. Fernandez-Lopez, "The NeOn Methodology framework: A scenario-based methodology for ontology development," *Applied ontology*, vol. 10, no. 2, pp. 107–145, 2015.
- [23] N. Guarino, "Semantic matching: Formal ontological distinctions for information organization, extraction, and integration," in *Information Extraction A Multidisciplinary Approach to an Emerging Information Technology*, Springer, 1997, pp. 139–170.
- [24] A. Gomez-Perez, M. Fernández-López, and O. Corcho, *Ontological Engineering: with examples from the areas of Knowledge Management, e-Commerce and the Semantic Web*. Springer Science & Business Media, 2006.
- [25] M. d Aquin, "Modularizing ontologies," in *Ontology Engineering in a Networked World*, Springer, 2012, pp. 213–233.
- [26] M. Jarrar and R. Meersman, "Ontology engineering—the DOGMA approach," in *Advances in Web Semantics I*, Springer, 2008, pp. 7–34.
- [27] A. A. Romero, M. Kaminski, B. C. Grau, and I. Horrocks, "Ontology Module Extraction via Datalog Reasoning.," in *AAAI*, 2015, pp. 1410–1416.
- [28] B. C. Grau, I. Horrocks, Y. Kazakov, and U. Sattler, "Modular reuse of ontologies: Theory and practice," *Journal of Artificial Intelligence Research*, vol. 31, pp. 273–318, 2008.
- [29] M. Grüninger and M. S. Fox, "Methodology for the design and evaluation of ontologies," 1995.
- [30] F. B. Ruy, G. Guizzardi, R. A. Falbo, C. C. Reginato, and V. A. Santos, "From reference ontologies to ontology patterns and back," *Data & Knowledge Engineering*, 2017.
- [31] H. P. Breivold, S. Larsson, and R. Land, "Migrating industrial systems towards software product lines: Experiences and observations through case studies," in *Software Engineering and Advanced Applications, 2008. SEAA'08. 34th Euromicro Conference*, 2008, pp. 232–239.
- [32] A. Harhurin and J. Hartmann, "Service-oriented commonality analysis across existing systems," in *2008 12th International Software Product Line Conference*, 2008, pp. 255–264.
- [33] N. F. Noy and D. McGuinness, "Ontology Development 101: A Guide to Creating Your First Ontology," *Knowledge Systems Laboratory*, vol. 32, 2001.
- [34] B. Johnson and B. Shneiderman, *Tree-maps: A space-filling approach to the visualization of hierarchical information structures*. IEEE, 1991.
- [35] T. Buzan, *Mind mapping*. Pearson Education, 2006.
- [36] D. Nestor, L. O'Malley, A. Quigley, E. Sikora, and S. Thiel, "Visualisation of variability in software product line engineering," 2007.
- [37] H. Stuckenschmidt and M. Klein, "Integrity and change in modular ontologies," in *IJCAI*, 2003, pp. 900–908.
- [38] J. Cuenca, F. Larrinaga, L. Eciolaza, and E. Curry, "Towards Cognitive Cities in the Energy Domain," in *Designing Cognitive Cities*, Springer, 2019, pp. 155–183.
- [39] M. J. Kofler, C. Reinisch, and W. Kastner, "A semantic representation of energy-related information in future smart homes," *Energy and Buildings*, vol. 47, pp. 169–179, 2012.
- [40] L. Daniele, M. Solanki, F. den Hartog, and J. Roes, "Interoperability for Smart Appliances in the IoT World," in *International Semantic Web Conference*, 2016, pp. 21–29.
- [41] L. Daniele, F. den Hartog, and J. Roes, "Created in close interaction with the industry: the smart appliances reference (SAREF) ontology," in *International Workshop Formal Ontologies Meet Industries*, 2015, pp. 100–112.

- [42] A. Fernbach, I. Pelesic, and W. Kastner, "Linked data for building management," in *Industrial Electronics Society, IECON 2016-42nd Annual Conference of the IEEE*, 2016, pp. 6943–6945.
- [43] N. M. Tomaševi, M. C. Bati, L. M. Blanes, M. M. Keane, and S. Vraneš, "Ontology-based facility data model for energy management," *Advanced Engineering Informatics*, vol. 29, no. 4, pp. 971–984, 2015.
- [44] W. Kastner, G. Neugschwandtner, S. Soucek, and H. M. Newman, "Communication systems for building automation and control," *Proceedings of the IEEE*, vol. 93, no. 6, pp. 1178–1203, 2005.
- [45] E. Blomqvist and P. Thollander, "An integrated dataset of energy efficiency measures published as linked open data," *Energy Efficiency*, vol. 8, no. 6, pp. 1125–1147, 2015.
- [46] K. Salameh, R. Chbeir, H. Camblong, G. Tekli, and I. Vechiu, "A Generic Ontology-Based Information Model for Better Management of Microgrids," in *IFIP International Conference on Artificial Intelligence Applications and Innovations*, 2015, pp. 451–466.
- [47] J. Hippolyte, S. Howell, B. Yuce, M. Mourshed, H. Sleiman, M. Vinyals, and L. Vanhee, "Ontology-based demand-side flexibility management in smart grids using a multi-agent system," in *Smart Cities Conference (ISC2), 2016 IEEE International*, 2016, pp. 1–7.
- [48] J.-L. Hippolyte, Y. Rezgui, H. Li, B. Jayan, and S. Howell, "Ontology-driven development of web services to support district energy applications," *Automation in Construction*, vol. 86, pp. 210–225, 2018.
- [49] S. Gillani, F. Laforest, and G. Picard, "A Generic Ontology for Prosumer-Oriented Smart Grid.," in *EDBT/ICDT Workshops*, 2014, pp. 134–139.
- [50] J. Verhoosel, D. Rothengatter, F. Rumph, and M. Konsman, "An ontology for modeling flexibility in smart grid energy management," 2012.
- [51] F. Radulovic, M. Poveda-Villalón, D. Vila-Suero, V. Rodríguez-Doncel, R. García-Castro, and A. Gómez-Pérez, "Guidelines for Linked Data generation and publication: An example in building energy consumption," *Automation in Construction*, vol. 57, pp. 178–187, 2015.
- [52] E. Curry, S. Hasan, and S. O’Riain, "Enterprise energy management using a linked dataspace for energy intelligence," in *Sustainable Internet and ICT for Sustainability (SustainIT), 2012*, 2012, pp. 1–6.
- [53] S. Hu, E. Corry, E. Curry, W. J. Turner, and J. O’Donnell, "Building performance optimisation: A hybrid architecture for the integration of contextual information and time-series data," *Automation in Construction*, vol. 70, pp. 51–61, 2016.
- [54] M. Niknam and S. Karshenas, "Sustainable Design of Buildings using Semantic BIM and Semantic Web Services," *Procedia Engineering*, vol. 118, pp. 909–917, 2015.
- [55] U. J. Pont, N. Ghiassi, S. Fenz, J. Heurix, and A. Mahdavi, "SEMERGY: Application of semantic web technologies in performance-guided building design optimization," *www.itcon.org-Journal of Information Technology in Construction*, vol. 20, pp. 107–120, 2015.
- [56] E. Curry, J. O’Donnell, E. Corry, S. Hasan, M. Keane, and S. O’Riain, "Linking building data in the cloud: Integrating cross-domain building data using linked data," *Advanced Engineering Informatics*, vol. 27, no. 2, pp. 206–219, 2013.
- [57] E. Corry, P. Pauwels, S. Hu, M. Keane, and J. O’Donnell, "A performance assessment ontology for the environmental and energy management of buildings," *Automation in Construction*, vol. 57, pp. 249–259, 2015.
- [58] V. Corrado, I. Ballarini, L. Madrazo, and G. Nemirovskij, "Data structuring for the ontological modelling of urban energy systems: The experience of the SEMANCO project," *Sustainable Cities and Society*, vol. 14, pp. 223–235, 2015.
- [59] G. Burel, L. S. Piccolo, and H. Alani, "Energyuse-a collective semantic platform for monitoring and discussing energy consumption," in *International Semantic Web Conference*, 2016, pp. 257–272.
- [60] A. Fensel, V. Kumar, and S. D. K. Tomic, "End-user interfaces for energy-efficient semantically enabled smart homes," *Energy Efficiency*, vol. 7, no. 4, pp. 655–675, 2014.

- [61] B. Yuce and Y. Rezgui, "An ANN-GA semantic rule-based system to reduce the gap between predicted and actual energy consumption in buildings," *IEEE Transactions on Automation Science and Engineering*, 2015.
- [62] T. G. Stavropoulos, G. Koutitas, D. Vrakas, E. Kontopoulos, and I. Vlahavas, "A smart university platform for building energy monitoring and savings," *Journal of Ambient Intelligence and Smart Environments*, vol. 8, no. 3, pp. 301–323, 2016.
- [63] T. G. Stavropoulos, D. Vrakas, D. Vlachava, and N. Bassiliades, "Bonsai: a smart building ontology for ambient intelligence," in *Proceedings of the 2nd international conference on web intelligence, mining and semantics*, 2012, p. 30.
- [64] Q. Zhou, Y. Simmhan, and V. Prasanna, "Incorporating semantic knowledge into dynamic data processing for smart power grids," in *International Semantic Web Conference*, 2012, pp. 257–273.
- [65] S. Gillani, G. Picard, and F. Laforest, "IntelSCEP: Towards an Intelligent Semantic Complex Event Processing Framework for Prosumer-Oriented SmartGrid," in *Proceedings of the 2014 International Workshop on Web Intelligence and Smart Sensing*, 2014, pp. 1–2.
- [66] Q. Zhou, Y. Simmhan, and V. Prasanna, "SCEPter: Semantic complex event processing over end-to-end data flows," Technical Report 12-926, Computer Science Department, University of Southern California, 2012.
- [67] Q. Zhou, S. Natarajan, Y. Simmhan, and V. Prasanna, "Semantic information modeling for emerging applications in smart grid," in *Information Technology: New Generations (ITNG), 2012 Ninth International Conference on*, 2012, pp. 775–782.
- [68] W. Shi, E.-K. Lee, D. Yao, R. Huang, C.-C. Chu, and R. Gadh, "Evaluating microgrid management and control with an implementable energy management system," in *Smart Grid Communications (SmartGridComm), 2014 IEEE International Conference on*, 2014, pp. 272–277.
- [69] A. Maffei, S. Srinivasan, P. Castillejo, J. F. Martinez, L. Iannelli, E. Bjerkan, and L. Glielmo, "A Semantic-Middleware-Supported Receding Horizon Optimal Power Flow in Energy Grids," *IEEE Transactions on Industrial Informatics*, vol. 14, no. 1, pp. 35–46, 2018.
- [70] J. Zhang, B.-C. Seet, and T. T. Lie, "An event-based resource management framework for distributed decision-making in decentralized virtual power plants," *Energies*, vol. 9, no. 8, p. 595, 2016.
- [71] R. De Hoog, "Methodologies for building knowledge based systems: achievements and prospects," *The Handbook of Applied Expert Systems*, 1998.
- [72] Z. C. Khan and C. M. Keet, "An empirically-based framework for ontology modularisation," *Applied Ontology*, vol. 10, no. 3–4, pp. 171–195, 2015.
- [73] K. Kotis and G. A. Vouros, "Human-centered ontology engineering: The HCOME methodology," *Knowledge and Information Systems*, vol. 10, no. 1, pp. 109–131, 2006.
- [74] P. Palvia and J. T. Nosek, "An empirical evaluation of system development methodologies," *Information Resources Management Journal (IRMJ)*, vol. 3, no. 3, pp. 23–33, 1990.